LOCAL TENDER ENQUIRY

To Whom It May Concern

This **Request for Quote (RFQ)** invites proposals for the **supply and training of high-quality surgical instruments at IISc, Bangalore**, ensuring precision, durability, and compliance with medical standards for optimal surgical performance.

At IISc, the planned infrastructure encompasses a wide array of medical technology to support advanced imaging capabilities essential for patient care, teaching, and research. The vendors are requested to factor this exposure's value into their quotes. Details of IISc can be gleaned from:

https://medicine.IISc.ac.in/

A. Procedure:

- 1. Vendors are required to submit a technical proposal and a commercial proposal in <u>two separate</u> <u>sealed envelopes</u>. Only vendors who meet the technical requirement will be considered for the commercial negotiation.
- 2. The Bidder should belong to either Class-1 or Class-2 suppliers distinguished by their "local content" as defined by recent edits to GFR. They should mention clearly which class they belong to in the cover letter.
 - a) Class-1 supplier: Goods and services should have local content of equal to or more than 50%.
 - b) Class-2 supplier: Goods and services should have local content of equal to or more than 20 % and less than 50%.
- 3. Quote should come only from Indian Original Equipment Manufacturer (OEM) or their Indian authorized distributor.
- 4. The quotations should be on FOR-IISc Bangalore basis in INR only.
- 5. Bidders offering imported products will fall under the category of non-local suppliers. They cannot claim themselves as Class-1 local suppliers/Class-2 local suppliers by claiming the services such as transportation, insurance, installation, commissioning, training, and other sales service support like AMC/CMC, etc., as local value addition.
- 6. Purchase preference as defined by the recent edits to GFR (within the "margin of purchase preference") will be given to the Class-1 supplier.
- MSMEs can seek an exemption to some qualification criteria. IISc follows GFR2017 for such details. Separate detailed justification needs to be given to substantiate the qualification as Class 1 and Class 2 suppliers, and the intender reserves the right to cross-check the factual validity of the same
- 8. Separate detailed justification needs to be given to substantiate the qualification as Class 1 and Class 2 suppliers, and the intender reserves the right to cross-check the factual validity of the same
- 9. The deadline for submission of proposals is March 21, 2025, Friday, 5:30 pm Indian Standard Time.
- 10. Bids in the sealed envelope should arrive at the office of Dean (A & F), Main building, Indian Institute of Science, Bangalore 560012, India, by the above deadline.

- 11. The technical proposal should contain a technical compliance table with 10 columns.
 - a. The first three columns must list the serial number, technical requirements, and quantity in the same order as specified in the tender's technical requirements.
 - b. The fourth column should describe your compliance with a "Yes" or "No" only. Ensure that the entries in first 3 column are consistent.
 - c. The fifth column should specify the Make of the item.
 - d. The sixth column should mention the Country of Origin of the product.
 - e. The seventh column should provide the Catalogue Number of the item.
 - f. The eighth column should state the Page Reference of the Item in the Catalogue for easy verification.
 - g. The nineth column should list the Reason for Deviation, if any, along with necessary explanations.
 - h. The tenth column can contain Additional Remarks, which may include relevant technical details or justifications from the OEM.
 - i. If the required information is not available in the Product Data Sheet and printed technical literature, it must be authenticated by the competent authority of the principal manufacturer, and in case of any discrepancy, the decision of the Technical Committee shall be final and binding on the supplier; additionally, the vendor must provide a legally binding declaration stating that the required information will be demonstrated at the time of handover and commissioning
- 12. Vendors are encouraged to highlight the advantages of their instrument over comparable Instrument from the competitors.
- 13. In the commercial bid, please provide the itemized cost of the instrument and required accessories, etc.
- 14. Please provide itemized cost for any suggested/optional accessories/add-on items that may enhance the instrument usability, capability, accuracy or reliability. Vendors are encouraged to quote for as many add-ons as their product portfolio permits.
- 15. In the quote, you are requested to provide itemized cost for spares, and consumables expected over 2 years of use.
- 16. Please indicate the warranty provided with the Instrument.
- 17. Any questions or clarifications can be directed to:

Dean (A & F) Main building, Indian Institute of Science, Bangalore 560012 <u>tenders@IISc.ac.in</u>

B. Terms and Conditions

- 1. The decision of the purchase committee of IISc will be final.
- 2. The vendor is responsible for the supply & the training of personnel of the Instrument at the IISc.
- 3. The RFQ must include references to previous supply including the list of all customers where similar systems were supplied and used in the past 5 years. Please provide the names and contact addresses of the referees so that the committee can contact them independently. Details of such systems with model numbers and users should be provided. The reference letters can be used to disqualify vendors with poor track records of service, build quality, system performance, or poor availability of spares.
- 4. The vendor should have qualified technical service personnel for the Instrument based in India and must assure a response time of <2 hours after receiving a service request. The schedule for periodic preventive maintenance for the Instrument should be provided.
- 5. The indenter reserves the right to withhold placement of the final order and to reject all or any of the quotations and to split up the requirements or relax any or all of the above conditions without assigning any reason.

- 6. Wherever requested in this specifications sheet, data must be supplied along with technical compliance documents. Technical bids without supporting data will be deemed as technically non- compliant.
- 7. Upon request, all guaranteed specifications will have to be demonstrated in an active installation. Failure to demonstrate any promised specifications will be deemed as technical non-compliance.
- 8. Printed literature and published papers to support compliance with the prescribed specifications may be provided duly authenticated by qualified personnel in the company.
- 9. Technical evaluation by the IISc may include a demonstration to verify the functionalities and capabilities of the Instrument quoted. Any discrepancy between the promised and demonstrated specifications will be deemed technical non-compliance. If the need arises, the vendor must be ready to visit IISc for a techno commercial discussion physically.
- 10. The validity of commercial quotations should be at least 90 days from the last date for the submission of tender documents.
- 11. **Payment terms:** LC will be opened with 70% payment on shipment of the documents and remaining 20% on installation, testing & commissioning and 10% on user satisfaction. Insurance coverage should be till the commissioning of Instrument.
- 12. The functionalities and capabilities of the Instrument to be provided as part of documentation. Any discrepancy in technical specification between what was committed during technical evaluation and demonstrated specification on ground will be deemed technical non-compliance. If the need arises, the vendor must be ready to visit IISc for a techno commercial discussion in person.

C. Other terms

1. Shipment and Delivery Terms

1.1 Partial Shipments

a. Partial shipments are allowed; however, transshipment is strictly prohibited.

1.2 Delivery Confirmation

a. Delivery shall only be made after receiving written confirmation from the IISc purchase team.

1.3 Consignee Details

a. The address of the consignee and the markings on the containers must be clearly stated as per the details provided by IISc.

1.4 Packing Slip and Documentation

- a. A packing slip detailing each item and its quantity shall accompany every shipment.
- b. The packing slip must be securely attached to the exterior of one of the containers in a visible manner.

c. The purchase order (PO) number must be clearly marked on all packing slips, invoices, and correspondence.

1.5 Missing Items and Substitutions

- a. Any items that are not found upon delivery must be clearly noted on the packing slip, and the anticipated availability of such items shall be indicated.
- b. Substitutions of items shall not be made without prior written authorization from IISc.

1.6 Packing of Fragile Instrument

a. Fragile Instrument shall be packed in secured way to prevent damage during transit.

1.7 Packing of Critical Components

a. Critical components must be packed using foam/bubble wrap and cartons, and securely stuffed within containers to prevent any damage during transit or handling at the site.

1.8 Protection during Transit

a. The Seller shall ensure that all items are securely protected and packed in accordance with best established practices to avoid damage under conditions such as multiple handling, transportation by ship/road, storage, and exposure to heat, moisture, rain, etc.

1.9 Seller's responsibility for damage

a. The Seller shall bear full responsibility for any breakage, damage, or pilferage (including during transit or handling within the hospital) resulting from faulty packing.

1.10 Marking and Packing Slip

- a. All packages must be visibly marked with the purchase order (PO) number and name of the Buyer in bold letters.
- b. Copies of the packing slip must also be placed inside each package.

2. Insurance and Freight

a. Cost of all Freight & Insurance is Included in the purchase order value will be arranged by the supplier. The insurance should be from the vendor warehouse to the site till Installation & commissioning at IISc.

2.2 Seller Notification for Insurance

a. If IISc needs to arrange insurance, the Seller must notify promptly.

3. Warranty Terms

- **3.1** The Instrument along with all the 3rd party items should carry a warranty of 12 months from the date of successful commissioning.
- **3.2** The warranty shall commence from the submission and demonstration of the instruments accompanied by all relevant documents, as per the specifications and requirements.

3.3 Preventive Maintenance

- a. Preventive maintenance shall be performed according to the recommendations of the Original Instrument Manufacturer.
- b. Preventive maintenance for any major breakdowns be conducted in accordance with local rules and regulations.

3.4 Responsibility for Malfunctions

a. The seller shall take full responsibility for any mishaps or malfunctions related to the ordered Instrument caused by delayed periodic maintenance under warranty

3.5 Maintenance cost

- a. Preventive maintenance shall be executed free of cost during the warranty.
- b. The seller shall clearly inform IISc about the list of consumables or maintenance kits that may incur additional costs (not covered under the maintenance contract) before the Instrument is supplied.

3.6 No Additional Terms to be imposed

a. All the terms mentioned in the tender and subsequent purchase order shall remain applicable without any modifications.

3.7 Consumables List

a. The vendor shall provide a list of consumables required for the Instrument, along with their associated costs, before the supply of the Instrument to IISc.

3.8 Instrument Recall and Standby Instrument

- a. The vendor shall notify IISc of any recall related to the supplied Instrument and ensure proper action is taken as per the buyer's recall terms and policies.
- b. In the event of an Instrument recall, the seller shall provide suitable standby Instrument, ensuring the clinical functionality of the buyer is not impacted.

3.9 Adverse Event Reporting

- a. Any adverse events associated with the medical devices shall be promptly reported to IISc.
- b. The vendor shall ensure that any adverse event is communicated to the National Collaboration Centre-Materiovigilance Programme of India, in accordance with regulatory requirements.

4. Maintenance

4.1 Preventive Maintenance

a. Preventive maintenance will be conducted free of charge under the warranty period

4.2 Report of Maintenance

a. The Seller shall provide a report of maintenance with details of the work performed

5. Spare Parts

5.1 Supply of Spare Parts

a. The Seller shall supply spare parts for the entire lifetime of the Instrument and guarantee availability for a minimum of 10 years from the date of supply and training of the Instrument.

5.2 Price of Spare Parts

- a. The Seller will provide the prices of major spare parts, which should not exceed 30% of the total Instrument value.
- b. A list of critical spare parts and their estimated prices shall be submitted with the tender as part of commercial bid.

5.3 Spare Parts Availability

a. The Seller must maintain a minimum stock of spare parts to ensure quick availability for repairs.

5.4 Spare Parts Pricing

a. The prices of spares shall be firm for 5 years, after which adjustments can be negotiated considering inflation and exchange variations.

6. Recall of Instrument

6.1 Instrument Recall

- a. In the event of any recall of Instrument, the Seller shall promptly inform IISc in writing.
- b. During the period when the Instrument is under recall, the Seller shall provide suitable standby Instrument of similar or higher specifications to IISc, at no cost.

7. Force Majeure

If either Party is unable to carry out his obligations under this Contract due to an Act of God, war, riot, blockade, strike (I.e. national/ state or city), lockout, flood or earthquake or Government orders/ restrictions not within the control of the parties hereto which results In an Inability, In spite of due diligence of either party in performing its obligation In time, this Contract shall remain effective, but the obligation which the affected party Is unable to carry out shall be suspended for a period equal to the duration of the relevant circumstances provided that :

The non-performing party shall give the other Party prior written notice describing particulars of the Inability including but not limited to the nature of occurrence with its expected duration and the steps which the non-performing parties is taking to fulfil its obligation.

Upon receipt of such notice the other party shall discuss the matter with the non-performing party with a view to helping the non-performing party to fulfil obligations. This clause does not envisage financial assistance.

If in any event the Force Majeure situation continues for a period of three weeks both the parties shall meet again and discuss whether the Contract can be amended to overcome the Force Majeure situation so the Project can proceed further.

Notwithstanding anything contained to the contrary it is clarified that economic hardship, nonavailability of material, labour and transport shall not constitute Force Majeure. The overall responsibilities and obligations of the parties shall not be excused by reasons of Force Majeure situation.

Notwithstanding the above If the Force Majeure continues for a period of three months or more in that event without prejudice to the rights of the parties, the Buyer shall have the right thereafter to terminate this contract.

8. Seller's Personnel at Buyer's Premises

8.1 Adherence to Safety Regulations

a. Seller's personnel on IISc premises must adhere to all IISc safety regulations and protocols.

8.2 Seller's Responsibility for Personnel's Safety

a. The Seller is responsible for their personnel's safety and health while on IISc premises and shall indemnify IISc for any accidents or injuries.

9. New Instrument Requirement

a. Only brand-new Instrument will be accepted, and it must be accompanied by quality conformance and manufacturer test certificates.

10. Training

a. Hands-on training for IISc engineers and technicians must be provided at no extra cost.

11. Other terms and conditions

- a. Local Service Support Supplier must have a registered office, trained engineers, spare parts, calibration Instrument, and installation references in Bangalore.
- b. **Country of Origin Restrictions** Instrument/materials originating from countries sharing a land border with India will not be accepted.

12. Vendor is to provide compliance with remarks against all terms and conditions

- a. The First column should describe your compliance with a "Yes" or "No" only. Ensure that the entries in column 1 and column 2 are consistent.
- b. The Second column should state the reasons/explanations/context for deviations, if any.
- c. The Third column can contain additional remarks from the OEM

13.Upon request, a soft copy of the compliance shall be submitted if required for the hard copy submission

Template for purchase order terms

General: Acceptance of this Purchase/ Work Order (hereinafter referred to as "PO/Order") includes the acceptance of the following terms & conditions and is made expressly conditional on Seller's assent to the exact terms contained herein. None of the terms in the Order may be modified, added to, or superseded, except with the written consent of Indian Institute of Science ("Buyer").

1.Price: The prices mentioned in this Order are the prices at which Buyer has agreed to purchase the Goods or Services (as applicable). No escalation in the aforesaid prices shall be binding on Buyer, notwithstanding anything that may be mentioned in Seller's terms of acceptance of Order.

2.Advice of Dispatch: A full and comprehensive dispatch advice notice shall be sent to stores or concerned departments of the Buyer ("Buyer Stores"). Instructions regarding dispatch & Insurance as mentioned in this Order should be complied with and the packing slips giving reference of Buyer order number shall be included securely with the goods in closed envelopes.

3.Delivery Terms:

(a) Deliver Date: Time is the essence in any Purchase Contract. Time of delivery/performance as mentioned in this Order shall be the essence of the Agreement and no variations shall be permitted except with prior authorization in writing from the Buyer.

(b) Place of Delivery: The goods/services shall be delivered/performed strictly as per the instructions in the Order. All Goods/Services delivered/performed at should reach Buyer Stores before 2.00 p.m. on weekdays except that no deliveries/ dispatches shall be made or accepted on Sundays or holidays in the working place of the Buyer.

(c) Delayed Delivery: The time and date of delivery/performance as stipulated in the Order shall be deemed to be the essence of the Agreement. In case of delay in performance of its obligations by the Seller, or any extension granted by the Buyer, the Buyer shall at his option either (i) accept delayed deliveries at price reduced by a sum/ percentage (%) mentioned in the Purchase Order for every week of delay or part thereof; and/or (ii) cancel the Order in part or in full and purchase such cancelled quantities from open market at the prevailing market price at the risk & cost of the Seller without prejudice to his rights under 3(c) (i) noted above in respect to the goods delivered; and/or (iii) refuse to accept the Goods delivered beyond the delivery date and claim/set-off the difference between the prevailing market price and contracted price of such quantity delivered belatedly by the Seller. (d) Delay due to force majeure: In the event of cause of force majeure occurring within the agreed delivery terms, the delivery date may be extended by the Buyer at its sole and absolute discretion on receipt of application from the Seller without imposition of liquidated damages. Only those cause which have duration of more than seven (7) consecutive calendar days will be considered the cause of force majeure. The Seller must inform the Buyer, by a Registered Post or courier letter duly Certified by the Chamber of Commerce or Statutory Authorities, the beginning and the end of the cause of delay immediately, but in no case later than ten (10) days from the beginning and end of each cause of force majeure as defined above.

(e) The goods shall correspond with the description of the samples of the original specification thereof in full details and must be delivered and dispatched within the stipulated time, as the case may be. Otherwise, the same shall be liable to be rejected and the Seller shall be deemed to have failed to deliver the goods in breach of the PO. The Buyer shall in that event at its sole and absolute discretion, will be entitled to either purchase such goods from other sources on Seller's account, in which case, the Seller shall be liable to pay to the Buyer any difference between the price at which such goods have been purchased and the price calculated at the rate set out in this Order or to hold the Seller liable to pay the Buyer damages for non-delivery of goods for such breach.

(f) Packing: Goods supplied against this order must be suitably and properly packed (conforming to special conditions stipulated by the Buyer, if any, for safe and/or undamaged transport by road or rail.)

4. Examination of goods: Irrespective of the fact that the goods are delivered to the Buyer by the Seller at the Seller's place or at Buyer's said office or are dispatched as per Buyer's instructions by rail or road, the goods shall always be supplied, subject to detailed inspection, at the Buyer works or such other destinations as specified in the Order for ascertaining whether the goods are in conformity with the Agreement or not and until then in no event the Buyer shall be deemed to have accepted such goods and upon any rejection of goods in question the Seller shall be deemed to have failed to deliver the concerned goods in accordance with the Agreement.

5. Rejection/ Removal of rejected goods and replacement: Buyer shall have the right to reject the goods whether in full or parts which are not delivered in accordance with the terms of the PO. within fifteen days from the receipt of the intimation from the Buyer of his rejection to accept the goods the Seller shall remove, at his own cost, the rejected goods from the Buyer's works or wherever such goods are lying. The Buyer shall not be in any way responsible for or be held liable for any loss or deterioration of the rejected goods as this shall be at the Seller's risk entirely. The Seller shall pay to the Buyer reasonable storage charges for storing such rejected goods for a period exceeding 15 days as

aforesaid. Upon rejection, if the Seller fails to replace the goods with the goods acceptable to the Buyer within the contractual period then the Buyer may, solely at his discretion, exercise all or any of the following options in respect of the rejected/undelivered quantity:- a. Dispose-off the rejected goods and claim/set-off the difference between the prevailing market price and contracted price of such undelivered/rejected quantity to the Seller's account; and/or b. purchase such undelivered/rejected quantity from the open market at the prevailing market price at the risk and cost of the Seller.

6. Transit Insurance: In case insurance is not included in Seller's scope he must furnish details such as reference, Lorry Receipt, Note No., nature of packing, number of cases, gross weight net weight, train carrying the goods, value of the goods dispatched etc. immediately on dispatch to Buyer's office to take up insurance in case of goods sent by Regd... Post, the Regd. Post parcel No. should be furnished to the Buyer with a packing slip when action will be taken to insure the goods. This procedure will be adopted unless specially advised by the Buyer to the contrary.

7. Insurance: Seller agrees that during the term of its performance hereunder, it shall, at its sole cost, maintain worker's compensation insurance and other legally required insurance in accordance with and meeting requirements of applicable law.

8. Invoices: All bills/ invoices for supplies/ services made bearing registration number of the Seller should be marked to concerned Office or as mentioned in Order (quadruplicate) duly endorsed with Purchase Order, Reference Number and Date and be accompanied by advice of dispatch detailed packing list and by an appropriate certificate necessary under the GST Registration Rules and Regulations.

9. Billing Instructions: Seller must follow the billing instructions carefully and correctly to enable early settlement of his dues. Disregarding the same may involve delay in such settlement. Seller must mention the following information in his bill: (1) Vendor Code Number (2) Purchase Order Item Number (3) Material Code Number, if any. The abovementioned information will be always available in this Order sent to him. One copy of the above document is to be sent to Buyer at The Assistant Registrar, Stores and Purchase Section, Indian Institute of Science, Sir C V Raman Avenue, Bengaluru-560012 or to the address as advised by the Buyer.

10. Compliance with laws: It is clearly reiterated that the Seller is representing an Entity which is strictly complying with all the Laws of the Land as is expected generally from a Seller of a product. It is also made explicitly clear that (a) the Seller has and shall maintain as valid shall under this order strictly comply with the specifications and the requirements agreed upon. At any given point of time, the seller is obliged to produce all applicable licenses, permits, approvals, authorizations and/or or other statutory approvals required to perform its obligation/s under the PO; (b) shall at all times duly observe, perform and comply with all obligations, requirements and/ or prohibitions contained in any statutes, regulations or ordinance of any authority whether governmental or provincial, relating to or in any way affecting or regulating the respective performance of the PO by it.

11. Standard GST Clause: a. The price quoted in this PO for supply of goods shall be exclusive of any applicable Goods and Services Tax, Customs duties, or any other indirect tax as may be imposed by the Government of India from time to time. The Seller shall provide a proper invoice in the form and manner prescribed under GST Invoice Rules containing all the particulars mentioned therein. In the event that the Seller fails to provide the invoice in the form and manner prescribed under rules, Buyer shall not be liable to make any payment against such invoice. Notwithstanding anything contained anywhere in the Agreement, in the event that the input tax credit of the GST charged by Seller is denied by the tax authorities to Buyer, Buyer shall be entitled to recover such amount from the Seller by way of adjustment from the next invoice. In addition to the amount of GST, Buyer shall also be entitled to recover interest at the applicable rate and penalty, in case any penalty is imposed by the tax authorities on Buyer. b. As required by any applicable legislation, where identifiable cost savings are realised by virtue of the enactment of the GST law, those cost savings will be reflected in the calculations of the consideration under this Agreement and shall be passed on by the Seller to Buyer. c. Event of default clause - In the event that the Seller does not deposit the GST charged on the invoice issued to Buyer or such GST charged on the invoice and paid by Buyer is not reflected in online tax credit ledger on common GSTN portal of the govt. as eligible input tax credit for any reason whatsoever, this Agreement

shall be liable to be terminated with immediate effect and Seller shall be liable to pay such damages as may be reasonably estimated by Buyer. In the event that the compliance rating prescribed under the GST Act, 2017 read with GST Rules, 2017 of Seller falls below prescribed level for any reason whatsoever, this Agreement shall be liable to be terminated with immediate effect and Seller shall be liable to pay such damages as may be reasonably estimated by Buyer. d. Representation and warranties clause – The Seller represents and warrants that it shall have and maintain in effect level of compliance rating as prescribed by the govt.

12. Warranty: The Seller warrants that goods and/or services supplier shall be of the highest grade and quality unless otherwise specified; shall conform to the specifications, drawings, samples or other descriptions contained in the Order or furnished or specified by the Buyer; shall be performed in a workmanlike manner; shall be fit and sufficient for the purpose intended; shall not violate any third party intellectual property rights and shall be merchantable, of good material and workmanship and free from all the defects whether latent or patent. In case the same is found to be defective, inter-alia, in respect of materials, workmanship, design or process of manufacturing within a period 12 months after the same had been put in use or 20 months from the date of acceptance of the goods by the Buyer, whichever is earlier, the Seller shall refund the price paid by the Buyer in respect of the said goods. The Seller shall guarantee that the material Seller further agrees that all materials / goods shall be repaired or replaced as the case may be as noted in Clause 20 below. All spare parts should carry the following: a) Name of the Machine b) OEM/Party's name c) Sr. at his / her own expense. The Seller shall be liable for all costs and damages and replacements at the sole option of the Buyer. These warranties are in addition to those implied by or available at law to Purchaser and shall exist notwithstanding the acceptance and/or inspection by Purchaser of all or part of the goods or services.

13. Right of the Buyer to Set Off: In the event, the Seller fails to deliver the goods in accordance with the terms of this PO, the Buyer shall have the right to cancel the PO forthwith and claim refund of any payment made by the Buyer as advance or otherwise to the Seller under the PO. The Buyer shall also have the absolute right to withhold, adjust, and/ or set-off any payment required to be made by the Buyer to the Seller under this PO or any other PO entered into between the parties against the cost, losses, damages etc. suffered by the Buyer due to the failure of the Seller to deliver the Goods in accordance with the terms of this PO, and the Seller expressly waives any objections it may have in this respect.

14. Cancellation/Termination: The Buyer reserves the right to cancel/terminate this Purchase Order or any part thereof. The Buyer shall be entitled to rescind the Agreement wholly or in part in a written notice to the Seller if (i) The Seller fails to comply with the terms of the Purchase Order; or (ii) The Seller goes bankrupt or goes into liquidation proceedings; or (iii) The Seller fails to deliver the goods on time and / or replace the rejected goods promptly; or (iv) the Seller fails to deliver the Goods/Services of desired quality, weight, specification, drawing, layout, design, etc.; or (v) The Seller makes general assignment for the benefit of the creditors; or (vi) Receiver is appointed in respect of property of the Seller. The Buyer shall also be entitled to cancel this Order without assigning any reasons or becoming any way liable in such cancellation.

15. No Assignment: This Purchase Order shall not be assigned to any other agency by the Seller without obtaining prior written consent of the Buyer.

16. Force Majeure: Failure or omission to carry out or observe any of the stipulation or condition of the Agreement shall not give rise to any claim or be deemed a breach of the Agreement if the same shall arise from any of the following causes. viz. the imposition or restriction on Import, Acts of God. The Seller submits his acceptance of this agreement with the above conditions by acceptance of Buyer's Order even in cases where the confirmation has been made under assumption of different conditions.

17. Special Conditions: Seller will ensure that all statutes, regulations of the Central or State Government are strictly followed. Buyer shall not be liable to pay any damages/compensation due to non-compliance of these rules / regulations by Seller.

18. Arbitration: Any dispute arising out of or in connection with the agreement shall be settled by

Arbitration in accordance with the Arbitration Conciliation Act, 1996. The arbitration proceedings shall be conducted in English in Bengaluru by the sole arbitrator appointed by the Buyer. The cost of arbitration shall be shared equally between the parties unless decided otherwise by the arbitrator.

19. Dispute & Jurisdiction of Bengaluru: All disputes shall be subjected to the exclusive jurisdiction of the court in Bengaluru only or as provided in the PO/Order.

20. Limitation of Liability: In no event shall Buyer be liable to Seller, or to Seller's officers, employees or representatives, or to any third party, for any indirect, consequential, incidental, special, punitive or exemplary damages of whatsoever nature (including, but not limited to, lost business, lost profits, damage to goodwill or reputation and/or degradation in value of brands, trademarks or trade names, service names or service marks, or injury to persons) whether arising out of breach of contract, warranty, tort (including negligence, failure to warn or strict liability), contribution, indemnity, subrogation or otherwise.

21. All spare parts should carry the following: a) Name of the Instrument b) OEM/Party's name c) Sr. No. as per the catalogue d) Buyer's Order No. and date and e) Quantity all relevant information.

22. Works carried out in Buyer's Institution or premises by the Sellers representatives etc.: Agent representative or employees of the Seller who in pursuance of the Agreement have to work in Buyer/Owner's Institution/Premises will be subject to the rules and regulations existing in the works. The Buyer shall not be liable for any accident which may cause to the Sellers personnel.

23. Intellectual Property Rights: All drawings, specifications and other documents furnished by Buyer and the Buyer's consultants, and copies thereof furnished to the Seller, are for use solely with respect to this Order. Such drawings, specifications and other documents are to be returned to the Buyer at the completion of the Order or earlier termination of this Agreement. All drawings, specifications and other documents prepared by or for Seller in contemplation of, in the course of, or as a result of performing the work shall be deemed works for hire and all right, title and interest therein shall vest in Buyer, whether or not the Order is ultimately completed. To the extent such drawings, specifications or other documents cannot be considered, by operation of law, works for hire, Seller shall assign to Buyer all right, title and interest thereto and all copies of such drawings, specifications and other documents shall be delivered to Buyer upon completion of the Order or earlier termination of this Agreement. Seller agrees to provide Buyer with reasonable assistance necessary to perfect Seller's interest in intellectual property created under this Agreement. This shall include, but not be limited to, the execution of documents necessary for the Copyright registration. No drawings, specifications or other documents may be used by the Seller or any Sub seller or material or Instrument supplier on other projects or for additions to their Project outside the scope of the work without the specific written consent of the Buyer. The Seller, Sub suppliers, Sub-Sub suppliers and material or Instrument suppliers are authorized to use and reproduce applicable portions of the drawings, specifications or other documents appropriate to and for use in the execution of their work under the contract documents. All copies made under this authorization shall bear the statutory copyright notice, if any, shown on the drawings, specifications and other documents prepared by or for the Buyer. Submittal or distribution to meet official regulatory requirements or for other purposes in connection with this Project is not to be construed as publication in derogation of the Purchaser's copyrights or other reserved rights. Any intellectual property conceived or developed during the course of the Order based upon or arising from Buyer's confidential and proprietary information shall be solely owned by Buyer. Except as expressly provided herein, no license or right is granted hereby to the Seller, by implication or otherwise, with respect to or under any patent application, patent, claims or patent or proprietary rights of Buyer.

24. The terms and conditions of this Order constitute the entire Agreement between the parties here to and changes will be binding only if the amendments are made in writing and signed by the authorized representatives of the Buyer and the Seller.

25. Risk of loss and/or damage to any goods furnished hereunder shall be upon Seller until the goods are physically delivered to Buyer's facility specified on the face of the Order and accepted by the Buyer.

26. Indemnification: Seller agrees to defend, indemnify and hold harmless the Buyer, its affiliated companies or parent companies, and their officers, employees, agents, guests, invitees and customers

from and against any and all liability, loss, damage, fine, penalty, cost or expense (including attorneys' fees) by reason of any allegation, claim, action or suit, whether for death, personal injury, property damage or otherwise, arising out of (1) failure of the goods or services supplied to meet specifications or warranties or for the goods or services to be otherwise defective; or (2) any alleged or actual, direct or contributory infringement or misappropriation of any patent, copyright, trade secret or other proprietary right arising from the purchase, use or sale of such goods or services; or (3) any leak or spill of any goods while being transported or delivered to Buyer; or (4) any breach by Seller of any term or condition contained in the Order; or (5) violation of applicable laws; or (6) alleged defect in the Goods and/or packaging material, or packed Product, or due to the Goods or packaging thereof being alleged to not adhere to any standard or quality set out herein or under any applicable laws; and/or (7) the acts, omissions, or wilful misconduct of Seller's employees and subcontractors, including their agents and representatives, and all other persons performing any services under the Order with the Seller, whether or not caused in part by a party indemnified hereunder. In the event that the goods or services, in Purchaser's reasonable opinion, are likely to infringe a patent or copyright, or misappropriate a trade secret (and in any event, if a court of law finds that the goods or services, in fact, do infringe or misappropriate), then Seller shall further provide Buyer one of the following forms of relief to be chosen by Seller: (a) obtain a license on Buyer's behalf to continue to use or sell the goods or services; (b) redesign the goods or services so that they do not infringe or misappropriate; or (c) refund Buyer the price paid for the goods or services in question. In any and all claims against Buyer by any employee of Seller, any subcontractor, anyone directly or indirectly employed by any of them, or anyone for whose acts any of them may be liable, the indemnification obligation under the Paragraph shall not be limited in any way by any indemnity or limitation on the amount or type of damages, compensation or benefits payable by or for Supplier, any subcontractor, or anyone directly or indirectly employed by any of them under workers' compensation acts, disability benefit acts, or other employee benefit acts.

27. Confidentiality: Seller shall keep confidential all specifications and proprietary information furnished by Buyer or prepared by Seller in connection with the performance of the Order (including the existence and terms of the Order) and shall not divulge or use such specifications or information for the benefit of itself or any other party, except as required for the efficient performance of the Order. Upon completion of the Order, Supplier shall make no further use, either directly or indirectly, of any such specifications or information.

28. Disposal: If applicable, Seller shall at all times retain title of ownership to any and all materials, substances or chemicals not incorporated into the work that Seller or any subcontractor brings onto Buyer's premises. Seller shall be solely responsible for the handling, transportation and disposal of any and all materials, substances and chemicals. Seller or any subcontractor brings onto Buyer's premises, and any waste generated or resulting from the use thereof. Seller shall not dispose or permit the release of any materials, substance or chemical, or any waste generated or resulting from the use thereof on Buyer's premises. Seller shall handle, transport, and dispose of any and all substances and chemicals, including but not limited to hazardous wastes and substances as defined by applicable federal, state and local laws, rules, regulations, codes and ordinances.

29. Severability: If any provision of this Agreement is held to be invalid, illegal or un- enforceable, either in whole or in part, that holding will not affect the validity, legality or enforceability of the remaining provisions of this Order

30. Original Excise Gate pass must accompany each delivery for excisable goods, if applicable.

31. The Seller will not claim without our knowledge any refund from the excise authorities for the amount of Central Excise duty on the supplies made to us. The Seller shall also undertake to refund to the Buyer all money recovered by him from Govt. authorities for which he has been paid by the Buyer.

32. Unless a specific objection to each of the terms of this Purchase order is raised within 24 hours from the date of Purchase order/email under which this PO is sent, it shall be deemed to be accepted in full.

33. Supplier (Seller) Code of Integrity: The Seller/ Supplier agrees to follow code of integrity and code of conduct as prescribed by General Financial Rules 2017.

SCOPE OF SUPPLY

S.No.	SURGICAL INSTRUMENT GENERIC NAME	QUANTITY	COMPLIANCE (Y/N)	ΜΑΚΕ	COUNTRY OF ORGIN	CATALOGUE NUMBER	PAGE REFERENCE OF ITEM IN CATALOGUE	REASON FOR DEVIATION	ADDITIONAL REMARK IF ANY
	ORTHO MINOR SET - CONSISTING OF:								
1	HALSTED MOSQUITO ARTERY FORCEPS CD.125mm	6							
2	HALSTEAD MOSQUITO ARTERY FORCEPS ST125mm	6							
3	SPENCER WELLS HAEMOSTATIC FORCEPS CD.150mm	6							
4	SPENCER WELLS HAEMOSTATIC FORCEPS ST. 150mm	6							
5	ALLIS TISSUE GRASPING FORCEPS 150mm	4							
6	KOCHERS HAEMOSTATIC FORCEPS ST.200mm	1							
7	KOCHERS HAEMOSTATIC FORCEPS CD.200mm	1							
8	KOCHERS HAEMOSTATIC FORCEPS ST.150mm	4							
9	KELLYS HAEMOSTATIC FORCEPS ST150 mm	2							
10	MAYO HEGAR NEEDLE HOLDER T/C TIP150MM	1							
11	MAYO HEGARS NEEDLE HOLDERS 150mm	2							
12	MAYO HEGARS NEEDLE HOLDERS 200mm	1							
13	MAYOS SCISSORS ST.200 mm	1							
14	MAYOS SCISSORS CD. 200 mm	1							
15	METZENBAUM SCISSORS CURVED 180mm	2							
16	METZENBAUM SCISSORS CVD, TC TIP 200mm	1							
17	SPONGE HOLDING DRESSING FORCEPS 250mm	2							
18	SCISSOR BLUNT ENDED STRAIGHT 20CM	2							
19	DRESSING SCISSORS SH/BL ST. 125mm	2							
20	LANGENBECK RETRACTOR 215mm,35X15mm	6							
21	MORRIS RETRACTOR 230mm 65x65mm	2							
22	MOLLISON S/R RETRACTOR 4X4 PRONGS SHARP 150mm	6							
23	B.P. HANDLE NO.4	6							
24	B.P HANDLE NO.3	1							
25	B.P. HANDLE NO.7	1							
26	CUSHING PERIOSTEAL ELEVATORS BLUNT WIDTH 6mm 170mm	2							
27	VOLKMANN CURETTE DOUBLE ENDED MEDIUM 230mm	2							
28	MCDONOLD DISSCETOR DOUBLE ENDED 185mm	1							

29	STD DISSECTING FORCEPS TOOTHED 150mm	4					
30	STANDARD DISSECTING FORCEPS PLAIN 150mm	4					
31	SURGICAL NON-PERFORATING TOWEL CLAMP	6					
32	ADSON PERIOSTEAL ELEVATOR CHISEL EDGE WIDTH 8mm 165mm	1					
33	ALLIS TISSUE GRASPING FORCEPS 200mm	1					
34	ROTTGEN RUSKIN BONE RONGUER DOUBLE ACTION 240mm	1					
35	LUER BONE RONGUER SINGLE ACTION HEAVY STRAIGHT 175mm	1					
36	PERIOSTEUM ELEVATOR METAL 8 "	1					
37	PERIOSTEUM ELEVATOR FIBRE HANDLE-CURVED 8 "	1					
38	BONE CUTTER SMALL	1					
39	BONE CUTTER MEDIUM	1					
40	BONE NIBBLER ANGLED SMALL	1					
41	BONE NIBBLER ANGLED MEDIUM	1					
42	BONE NIBBLER ANGLED LARGE	1					
43	BONE NIBBLER CURVED SMALL	1					
44	BONE NIBBLER CURVED MEDIUM	1					
45	BONE NIBBLER CURVED LARGE	1					
46	BONE NIBBLER STRAIGHT SMALL	1					
47	BONE NIBBLER STRAIGHT MEDIUM	1					
48	BONE NIBBLER STRAIGHT LARGE	1					
49	OSTEOTOME 5 MM CURVED & STRAIGHT-METAL /FIBRE HANDLE- AUTOCLAVABLE	1					
50	OSTEOTOME 10 MM CURVED & STRAIGHT-METAL /FIBRE HANDLE- AUTOCLAVABLE	1					
51	OSTEOTOME 15 MM CURVED & STRAIGHT-METAL /FIBRE HANDLE- AUTOCLAVABLE	1					
52	OSTEOTOME 20 MM CURVED & STARIGHT-METAL /FIBRE HANDLE- AUTOCLAVABLE	1					
53	SELF RETAINING BLUNT CURVED SMALL 5"	1					
54	SELF RETAINING BLUNT CURVED MEDIUM 6"	1					
55	SELF RETAINING BLUNT CURVED LARGE 8 "	1					
56	SELF RETAINING BLUNT STRAIGHT SMALL 5"	1					
57	SELF RETAINING BLUNT STRAIGHT MEDIUM 6"	1					
58	SELF RETAINING BLUNT STRAIGHT LARGE 8"	1					
I		1		1	1	1	1

59	K-WIRE 1.5MM	1			
60	HOHMANNS SMALL	1			
61	HOHMANNS MEDIUM	1			
62	HOHMANNS LARGE	1			
63	HOHMANNS 90 DEGREE BENT	1			
64	BONE HOLDING FORCEPS SMALL	1			
65	BONE HOLDING FORCEPS MEDIUM	1			
66	BONE HOLDING FORCEPS LARGE	1			
67	PLATE HOLDING SMALL	1			
68	PLATE HOLDING MEDIUM	1			
69	PLATE HOLDING LARGE	1			
70	POINTED REDUCTION CLAMP RATCHET SMALL	1			
71	POINTED REDUCTION CLAMP RATCHET MEDIUM	1			
72	POINTED REDUCTION CLAMP RATCHET LARGE	1			
73	POINTED REDUCTION CLAMP NON-RATCHET SAMLL	1			
74	POINTED REDUCTION CLAMP NON-RATCHET MEDIUM	1			
75	POINTED REDUCTION CLAMP NON-RATCHET LARGE	1			
76	BONE GOUGE CURVED-8MM-FIBRE HANDLE-AUTOCLAVABLE	1			
77	BONE GOUGE CURVED -10MM-FIBRE HANDLE-AUTOCLAVABLE	1			
78	BONE GOUGE CURVED- 5 MM-FIBRE HANDLE-AUTOCLAVABLE	1			
79	BONE GOUGE CURVED-10 MM-FIBRE HANDLE-AUTOCLAVABLE	1			
80	BONE GOUGE CURVED 15MM-FIBRE HANDLE-AUTOCLAVABLE	1			
81	BONE GOUGE CURVED 20 MM-FIBRE HANDLE-AUTOCLAVABLE	1			
82	BONE GOUGE STRAIGHT- 5 MM-FIBRE HANDLE-AUTOCLAVABLE	1			
83	BONE GOUGE STRAIGHT-10 MM-FIBRE HANDLE-AUTOCLAVABLE	1			
84	BONE GOUGE STRAIGHT 15MM-FIBRE HANDLE-AUTOCLAVABLE	1			
85	BONE GOUGE STRAIGHT 20 MM-FIBRE HANDLE-AUTOCLAVABLE	1			
86	BONE PUNCH CURVED 8 MM	1			
87	BONE PUNCH CURVED 10MM	1			
88	BONE PUNCH CURVED 12 MM	1			
89	BONE PUNCH CURVED 15 MM	1			
90	BONE PUNCH CURVED 18 MM	1			
91	BONE PUNCH STRAIGHT 8 MM	1			

192 BONE PUNCH STRAGHT 10 MM 1 Image: Constraint of the straint o				-	r	1		1	
94 BONE PUNCH STRAIGHT 15 MM 1 <td>92</td> <td>BONE PUNCH STRAIGHT 10 MM</td> <td>1</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	92	BONE PUNCH STRAIGHT 10 MM	1						
95 BONE PUNCH STRAIGHT 18 MM 1 Image: Constraint of the straint o	93	BONE PUNCH STRAIGHT 12 MM	1						
96 HAMMER 300 GM 1 <td< td=""><td>94</td><td>BONE PUNCH STRAIGHT 15 MM</td><td>1</td><td></td><td></td><td></td><td></td><td></td><td></td></td<>	94	BONE PUNCH STRAIGHT 15 MM	1						
97 HAMMER 400 GM 1 1 1 1 1 98 HAMMER NYLON 1 1 1 1 1 1 99 WIRE CUTTER MEDIUM 7"TC TIP-GOLD PLATED 1	95	BONE PUNCH STRAIGHT 18 MM	1						
98 HAMMER NYLON 1 1 1 1 1 99 WIRE CUTTER LARGE 9"TC TIP-GOLD PLATED 1 1 1 1 100 WIRE CUTTER LARGE 9"TC TIP-GOLD PLATED 1 1 1 1 101 JUMBO CUTTER LARGE 9"TC TIP-GOLD PLATED 1 1 1 1 101 JUMBO CUTTER LARGE 9"TC TIP-GOLD PLATED 1 1 1 1 102 MARTIN CLAMP-CARTILAGE CLAMP-8" 1 1 1 1 1 103 PLIER COM WIRE CUTTER MEDIUM 1 <td>96</td> <td>HAMMER 300 GM</td> <td>1</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	96	HAMMER 300 GM	1						
99 WIRE CUTTER MEDIUM 7" TC TIP-GOLD PLATED 1 <th<< td=""><td>97</td><td>HAMMER 400 GM</td><td>1</td><td></td><td></td><td></td><td></td><td></td><td></td></th<<>	97	HAMMER 400 GM	1						
100 WIRE CUTTER LARGE 9" TC TIP-GOLD PLATED 1 <td>98</td> <td>HAMMER NYLON</td> <td>1</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	98	HAMMER NYLON	1						
101 JUMBO CUTTER LARGE 1 1 1 1 102 MARTIN CLAMP-CARTILAGE CLAMP-8" 1 1 1 1 103 PLIER CUT WIRE CUTTER MEDIUM 1 1 1 1 1 104 NOSE PLIER MEDIUM 1	99	WIRE CUTTER MEDIUM 7" TC TIP-GOLD PLATED	1						
102 MARTIN CLAMP-CARTILAGE CLAMP-8" 1	100	WIRE CUTTER LARGE 9" TC TIP-GOLD PLATED	1						
103 PLIER CUM WIRE CUTTER MEDIUM 1 <	101	JUMBO CUTTER LARGE	1						
104 NOSE PLIER MEDIUM 1	102	MARTIN CLAMP-CARTILAGE CLAMP-8"	1						
105 PLIER MEDIUM 1	103	PLIER CUM WIRE CUTTER MEDIUM	1						
106 LAMINA RETRACTOR LARGE 1 Image: Constraint of the state	104	NOSE PLIER MEDIUM	1						
107POSTERIOR HOHMANNS FOR TKR SINGLE & DOUBLE PRONG1IIIII108CURETTE DOUBLE ENDED SMALL11IIIIII109CURETTE DOUBLE ENDED MEDIUM1II <t< td=""><td>105</td><td>PLIER MEDIUM</td><td>1</td><td></td><td></td><td></td><td></td><td></td><td></td></t<>	105	PLIER MEDIUM	1						
108CURETTE DOUBLE ENDED SMALL1111111109CURETTE DOUBLE ENDED MEDIUM11111111110CURETTE DOUBLE ENDED LARGE111111111111MURPHY SKID111 <td< td=""><td>106</td><td>LAMINA RETRACTOR LARGE</td><td>1</td><td></td><td></td><td></td><td></td><td></td><td></td></td<>	106	LAMINA RETRACTOR LARGE	1						
109 CURETTE DOUBLE ENDED MEDIUM 1 <t< td=""><td>107</td><td>POSTERIOR HOHMANNS FOR TKR SINGLE & DOUBLE PRONG</td><td>1</td><td></td><td></td><td></td><td></td><td></td><td></td></t<>	107	POSTERIOR HOHMANNS FOR TKR SINGLE & DOUBLE PRONG	1						
110CURETTE DOUBLE ENDED LARGE111111111MURPHY SKID1111111112MARTINS FORCEPS 6"11111111113MARTINS FORCEPS 8"1111111111114BRISTOW ELEVATOR111	108	CURETTE DOUBLE ENDED SMALL	1						
111MURPHY SKID1IIIIII112MARTINS FORCEPS 6"11II	109	CURETTE DOUBLE ENDED MEDIUM	1						
112MARTINS FORCEPS 6"1IIIII113MARTINS FORCEPS 8"1IIIII114BRISTOW ELEVATOR1IIIIII115K-WIRE BENDER1IIIIIII116WIRE TWISTER (AO) TYPE CUM TIGHTNER1III <td< td=""><td>110</td><td>CURETTE DOUBLE ENDED LARGE</td><td>1</td><td></td><td></td><td></td><td></td><td></td><td></td></td<>	110	CURETTE DOUBLE ENDED LARGE	1						
113MARTINS FORCEPS 8"11	111	MURPHY SKID	1						
114BRISTOW ELEVATOR111111115K-WIRE BENDER111	112	MARTINS FORCEPS 6"	1						
115K-WIRE BENDER11	113	MARTINS FORCEPS 8"	1						
116WIRE TWISTER (AO) TYPE CUM TIGHTNER11 <td>114</td> <td>BRISTOW ELEVATOR</td> <td>1</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	114	BRISTOW ELEVATOR	1						
117PLATE BENDING PRESS (Bench Press Model)11111118PLATE BENDER 3.5 MM111111119PLATE BENDER 4.5 MM111111120LOWMAN BONE CLAMP MEDIUM111111121WIRE PASSER SMALL, MEDIUM & LARGE111111122BP HANDEL NO.3111111123BP HANDEL NO.4111111	115	K-WIRE BENDER	1						
118PLATE BENDER 3.5 MM111111119PLATE BENDER 4.5 MM111	116	WIRE TWISTER (AO) TYPE CUM TIGHTNER	1						
119PLATE BENDER 4.5 MM111	117	PLATE BENDING PRESS (Bench Press Model)	1						
120LOWMAN BONE CLAMP MEDIUM11 </td <td>118</td> <td>PLATE BENDER 3.5 MM</td> <td>1</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	118	PLATE BENDER 3.5 MM	1						
121 WIRE PASSER SMALL, MEDIUM & LARGE 1	119	PLATE BENDER 4.5 MM	1						
122 BP HANDEL NO.3 1 <	120	LOWMAN BONE CLAMP MEDIUM	1						
123 BP HANDEL NO.4 1 1	121	WIRE PASSER SMALL, MEDIUM & LARGE	1						
	122	BP HANDEL NO.3	1						
124 T HANDLE RATCHET 1	123	BP HANDEL NO.4	1						
	124	T HANDLE RATCHET	1						

126 BONE RASP 1 </th <th>125</th> <th>T HANDLE WITH KEY</th> <th>1</th> <th></th> <th></th> <th></th> <th></th>	125	T HANDLE WITH KEY	1				
127 SCREW DRIVER 2.7MM HEXAGONAL, STAR SHAPE AND CANNULATED 1 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>							
128 SCREW DRIVER 3.5 MM HEXAGONAL, STAR SHAPE AND CANNULATED 1 </td <td>127</td> <td>SCREW DRIVER 2.7MM HEXAGONAL, STAR SHAPE AND CANNULATED</td> <td></td> <td></td> <td></td> <td></td> <td></td>	127	SCREW DRIVER 2.7MM HEXAGONAL, STAR SHAPE AND CANNULATED					
25 SCREW DRIVER 4.5 MM HEXAGONAL, STAR SHAPE AND CANNULATED 11 Image: Construction of the state of	128		1				
131DEPTH GAUGE 3.5 MM11	129	SCREW DRIVER 4.5 MM HEXAGONAL, STAR SHAPE AND CANNULATED	1				
132DEPTH GAUGE 4.5 MM11	130	DEPTH GAUGE 2.4 MM	1				
133U SHAPE BONE GOUGE (AO) TYPE MEDIUM & LARGE1II	131	DEPTH GAUGE 3.5 MM	1				
134 COUNTER SINK 3.5 MM 1	132	DEPTH GAUGE 4.5 MM	1				
133COUNTER SINK 4.5 MM11Image: Counter Sink 4.5 MM1Image: Counter Sink 4.5 MM1Image: Counter Sink 4.5 MM1Image: Counter Sink 4.5 MM1Image: Counter Sink 4.5 MMImage: Counter Sink 4.5 MMImage	133	U SHAPE BONE GOUGE (AO) TYPE MEDIUM & LARGE	1				
TOTAL 01 SETImage: Constraint of the cons	134	COUNTER SINK 3.5 MM	1				
ORDINARY MINOR SET - CONSISTING OF:Image: Constraint of the	135	COUNTER SINK 4.5 MM	1				
1HALSTED MOSQUITO ARTERY FORCEPS CD.125mm4 </td <td></td> <td>TOTAL 01 SET</td> <td></td> <td></td> <td></td> <td></td> <td></td>		TOTAL 01 SET					
2HALSTEAD MOSQUITO ARTERY FORCEPS ST125mm5 </td <td></td> <td>ORDINARY MINOR SET - CONSISTING OF:</td> <td></td> <td></td> <td></td> <td></td> <td></td>		ORDINARY MINOR SET - CONSISTING OF:					
3SPENCER WELLS HAEMOSTATIC FORCEPS CD.150mm10II <t< td=""><td>1</td><td>HALSTED MOSQUITO ARTERY FORCEPS CD.125mm</td><td>4</td><td></td><td></td><td></td><td></td></t<>	1	HALSTED MOSQUITO ARTERY FORCEPS CD.125mm	4				
4SPENCER WELLS HAEMOSTATIC FORCEPS ST. 150mm5 </td <td>2</td> <td>HALSTEAD MOSQUITO ARTERY FORCEPS ST125mm</td> <td>5</td> <td></td> <td></td> <td></td> <td></td>	2	HALSTEAD MOSQUITO ARTERY FORCEPS ST125mm	5				
5ALLIS TISSUE GRASPING FORCEPS 150mm6611	3	SPENCER WELLS HAEMOSTATIC FORCEPS CD.150mm	10				
6BABCOCK TISSUE GRASPING FORCEPS 150mm11 <td>4</td> <td>SPENCER WELLS HAEMOSTATIC FORCEPS ST. 150mm</td> <td>5</td> <td></td> <td></td> <td></td> <td></td>	4	SPENCER WELLS HAEMOSTATIC FORCEPS ST. 150mm	5				
7KOCHERS HAEMOSTATIC FORCEPS ST.200mm11 <td>5</td> <td>ALLIS TISSUE GRASPING FORCEPS 150mm</td> <td>6</td> <td></td> <td></td> <td></td> <td></td>	5	ALLIS TISSUE GRASPING FORCEPS 150mm	6				
8ALLIS TISSUE GRASPING FORCEPS 200mm11	6	BABCOCK TISSUE GRASPING FORCEPS 150mm	1				
9KOCHERS HAEMOSTATIC FORCEPS CD.200mm11 <td>7</td> <td>KOCHERS HAEMOSTATIC FORCEPS ST.200mm</td> <td>1</td> <td></td> <td></td> <td></td> <td></td>	7	KOCHERS HAEMOSTATIC FORCEPS ST.200mm	1				
10MIXTERS LIGATURE FORCEPS 200mm336666611KELLYS CLAMP WITH LOCK STRAIGHT 20CM3366666612MAYO HEGARS NEEDLE HOLDERS 200mm3666666613MAYOS SCISSORS ST. 160mm16666666614METZENBAUM SCISSORS STRAIGHT 180mm1666 <t< td=""><td>8</td><td>ALLIS TISSUE GRASPING FORCEPS 200mm</td><td>1</td><td></td><td></td><td></td><td></td></t<>	8	ALLIS TISSUE GRASPING FORCEPS 200mm	1				
11KELLYS CLAMP WITH LOCK STRAIGHT 20CM33666612MAYO HEGARS NEEDLE HOLDERS 200mm3366666613MAYOS SCISSORS ST. 160mm16666666614METZENBAUM SCISSORS STRAIGHT 180mm166<	9	KOCHERS HAEMOSTATIC FORCEPS CD.200mm	1				
12MAYO HEGARS NEEDLE HOLDERS 200mm3311	10	MIXTERS LIGATURE FORCEPS 200mm	3				
13MAYOS SCISSORS ST. 160mm111	11	KELLYS CLAMP WITH LOCK STRAIGHT 20CM	3				
14METZENBAUM SCISSORS STRAIGHT 180mm11	12	MAYO HEGARS NEEDLE HOLDERS 200mm	3				
15SPONGE HOLDING DRESSING FORCEPS 250mm2 </td <td>13</td> <td>MAYOS SCISSORS ST. 160mm</td> <td>1</td> <td></td> <td></td> <td></td> <td></td>	13	MAYOS SCISSORS ST. 160mm	1				
16SURGICAL NON-PERFORATING TOWEL CLAMP3311117STD DISSECTING FORCEPS TOOTHED 150mm35111118STANDARD DISSECTING FORCEPS PLAIN 150mm2111	14	METZENBAUM SCISSORS STRAIGHT 180mm	1				
17STD DISSECTING FORCEPS TOOTHED 150mm3 </td <td>15</td> <td>SPONGE HOLDING DRESSING FORCEPS 250mm</td> <td>2</td> <td></td> <td></td> <td></td> <td></td>	15	SPONGE HOLDING DRESSING FORCEPS 250mm	2				
18 STANDARD DISSECTING FORCEPS PLAIN 150mm 2	16	SURGICAL NON-PERFORATING TOWEL CLAMP	3				
19 B.P. HANDLE NO.4 1 I I I I	17	STD DISSECTING FORCEPS TOOTHED 150mm	3				
	18	STANDARD DISSECTING FORCEPS PLAIN 150mm	2				
20 B.P HANDLE NO.3 1	19	B.P. HANDLE NO.4	1				
	20	B.P HANDLE NO.3	1				

21	B.P. HANDLE NO.7	1				
22	VOLKMANN CURETTE DOUBLE ENDED MEDIUM 230mm	1				
22	LANGENBECK RETRACTOR 215mm,35X15mm	4				
23	ROBERTS HAEMOSTATIC FORCEPS ST.245mm	2				
24	TOTAL 01 SET	2				
	ILL CLEANING TRAY - CONSISTING OF:					
1	HALSTED MOSQUITO ARTERY FORCEPS CD.125mm	3				
2	HALSTED MOSQUITO ARTERY FORCEPS CD.12511111 HALSTEAD MOSQUITO ARTERY FORCEPS ST125mm	3				
	-					
3	SPENCER WELLS HAEMOSTATIC FORCEPSCD.150mm	3				
4	SPENCER WELLS HAEMOSTATIC FORCEPS ST. 150mm	3				
5	ALLIS TISSUE GRASPING FORCEPS 200 mm	3				
6	KOCHERS ARTERY FORCEPS -200 mm	2				
7	MAYO HEGARS NEEDLE HOLDERS 200mm	1				
8	SPONGE HOLDING DRESSING FORCEPS 250mm	1				
9	LANGENBECK RETRACTOR 215mm,35X15mm	4				
10	STD DISSECTING FORCEPS TOOTHED 150mm	1				
11	STANDARD DISSECTING FORCEPS PLAIN 150mm	1				
12	SURGICAL NON-PERFORATING TOWEL CLAMP	3				
13	B.P. HANDLE NO.4	3				
14	DRESSING SCISSORS SH/BL ST. 125mm	1				
15	DRESSING SCISSORS SH/BL CD. 125mm	1				
16	ALLIS TISSUE GRASPING FORCEPS 200mm	1				
17	SPENCER WELLS HAEMOSTATIC FORCEPS CD. 200mm	1				
18	KOCHERS HAEMOSTATIC FORCEPS ST.200mm	1				
19	VOLKMANN CURETTE DOUBLE ENDED MEDIUM 230mm	1				
20	MAYOS SAFETY PIN INSTRUMENT HOLDER140mm	1				
21	MOLLISON S/R RETRACTOR 4X4 PRONGS SHARP 150mm	2				
22	LUER BONE RONGUER SINGLE ACTION HEAVY STRAIGHT 175mm	1				
23	RUSKIN BONE RONGUER DOUBLE ACTION190mm	1				
	TOTAL 01 SET					
	TOTAL HIP REPLACEMENT SET - CONSISTING OF:					
1	GIGLI SAWHANDLE 'T' TYPE	1				
2	LANGENBECK RETRACTORS 215mm,40X11mm	2		 		

3	KELLYS RETRACTOR 5.5cm	1				
4	MILLIN RETRACTOR WITH 5 BLADES115mm X 44mm	1				
5	DEAVERS RETRACTORS ADULT 300X25mm	2				
6	KELLYS HAEMOSTATIC FORCEPS ST.150 mm	1				
7	DRESSING SCISSORS SH/BL ST. 125mm	1				
8	KOCHERS HAEMOSTATIC FORCEPS ST.200mm	2				
9	MIXTERS LIGATURE FORCEPS 230mm	2				
10	B.P. HANDLE NO.7	1				
11	SPENCER WELLS HAEMOSTATIC FORCEPS ST. 150mm	2				
12	DRESSING SCISSORS SH/BL ST. 150mm	1				
13	KOCHERS HAEMOSTATIC FORCEPS ST.200mm	2				
14	METZENBAUM SCISSORS CURVED 200mm	1				
15	HEATH MALLET WEIGHT 700GMS	1				
16	B.P HANDLE NO.3	1				
17	METZENBAUM SCISSORS STRAIGHT 230mm	1				
18	VOLKMAN CURETTES DOUBLE ENDED LARGE 230mm	2				
19	REILL WIRE CUTTER DOUBLE ACTION 175mm	1				
20	DRESSING SCISSORS SH/BL ST. 150mm	1				
21	B.P. HANDLE NO.7	1				
	TOTAL 01 SET					
	MINISECTOMY SET - CONSISTING OF:					
1	SMILLE MENISCUS KNIVES 170mm	1				
2	SMILLE MENISCUS KNIVES 170mm	1				
3	SMILLIE MENISCUS KNIVES 170mm	1				
4	RUSKIN-LISTON BONE CUTTER DOUBLE ACTION 190mm	1				
5	TENOTOMY KNIFE 8" -	2				
6	ALLIS TISSUE GRASPING FORCEPS 150mm	2				
7	SEMB BONE HOLDING FORCEPS 190mm	1				
8	OVUM FORECPS 10" -	1				
9	MIXTERS LIGATURE FORCEPS 200mm	1				
	TOTAL 01 SET					
	ORTHO BASIC SET - CONSISTING OF:					
1	LANGENBACK BONE LEVERS 230mm "	4				
_						

		1					1
2	RUSKIN-LISTON BONE CUTTER DOUBLE ACTION ANGLED 190mm	2					
3	NORTH FIELD BONE RONGEURS DOUBLE ACTION ST.230mm	6					
4	BABY MIXTER LIGATURE FORCEPS 140mm	1					
5	ESMARCH BONE AWL FIBRE HANDLE WITH2 DRILL POINTS 200mm	1					
6	LISTON BONE CUTTER DOUBLE ACTION ANGLED 235mm	1					
7	WEISLANDER MASTIOD S/R RETRACTOR3X4 PRONGS BLUNT 165mm	4					
8	VOLKMANN HOOK RETRACTOR FORGED RING HANDLE BLUNT 230mm	4					
9	STILLE OSTEOTOME CD.18mm 200mm	6					
10	HOEN PERIOSTEAL ELEVATOR WIDTH 7mm185mm	1					
11	LANGENBECK RETRACTORS 215mm,25X6mm	4					
12	GIGLI SAWHANDLE 'T' TYPE	4					
13	DOYEN RIB RASPATORY CURVED TO LEFT 175MM	1					
14	DOYEN RIB RASPATORY CURVED TO RIGHT 175MM	1					
15	ALUMINIUM CASE WHITE, DEEP, RED LID, PERFORATED W/O CONTENTS	1					
16	LOWER TRAY FOR INSTRUMENTS	1					
17	SPARE TRAY, W/O CONTENTS	1					
18	COUNTERSINK LARGE 180MM	1					
19	DEPTH GAUGE FOR 4.5MM TO 6.5MM SCREWS	1					
20	HEXAGONAL SCREW DRIVER LARGE L 240 MM	1					
21	HEXAGONAL SCREW DRIVER SHAFT LARGE	1					
22	T-HANDLE WITH QUICK COUPLING LARGE	1					
23	T-HANDLE WITH QUICK COUPLING 80MM	1					
24	PERIOSTEAL ELEVATOR	1					
25	TRAY 12X10X2"-GRADE 304	1					
26	SPONGE HOLDING FORCEP 10"	1					
27	DISECTING FORCEPS 6" PLAIN	1					
28	DISECTING FORCEPS 6" TOOTH	1					
29	DISSECTING FORCEPS ADSON TOOTH 8"	1					
30	MAYO NEEDLE HOLDER 6"-CHROME PLATED	1					
31	BARD PARKER HANDLE NO 7	1					
32	MAYO SCISSOR 8" STR-TRUCUT TIP CHROME PLATED	1					
33	METZENBAUM SCISSOR 8" CVD-TRUCUT TIP CHROME PLATED	1					
34	ARTERY FORCEPS SPENCERWELLS 8 STR	1					
L	1	1	I I	I	1	1	

35	ARTERY FORCEPS SPENCERWELLS 6" CVD	1			
36	TOWEL CLIP	1			
37	BOWL S.S 4"-GRADE-304	1			
38	KIDNEY TRAY 6"-GRADE-304	1			
39	CERVICAL ROUNGER 3MM	1			
40	KERRISON LUMBER ROUNGER 3.MM	1			
41	KERRISON LUMBER ROUNGER 5.MM	1			
42	SELLA PUNCH 1 MM	1			
43	LUER LAMINECTOMY ROUNGER	1			
44	HORSLEY BONE CUTTING FORCEPS	1			
45	FREER SEPTUM ELVELTOR	1			
46	RUSKIN BONE ROUNGER STR 4MM	1			
47	ADSON PERIOSETAL ELVELTOR	1			
48	SPINAL CURETTE STRAIGHT	1			
49	PENFIELD DISECTOR	1			
50	FREER SEPTUM ELVELTOR	1			
51	MAYO SCISSOR STR-TRUCUT TIP CHROME PLATED	1			
52	METZENBAUM SCISSOR STR 6"-TRUCUT TIP CHROME PLATED	1			
53	METZENBAUM SCISSOR CVD 6" -TRUCUT TIP CHROME PLATED	1			
54	MAYO NEEDLE HOLDER RYDER-7" TC TIP-GOLD PLATED	1			
55	DISECTING FORCEPS BONNY TESSUE FORCEPS	1			
56	DISSECTING FORCEPS ADSON TOOTH	1			
57	BAYONET FORCEPS	1			
58	BAYONET TISSUE FORCEPS	1			
59	CUSHING BAYONET FORCEPS	1			
60	LANGENBECK RETRACTOR	1			
61	LANGENBECK RETRACTOR-BLADE 25MM	1			
62	LANGENBECK RETRACTOR-BLADE 30MM	1			
63	LANGENBECK RETRACTOR-BLADE 35MM	1			
64	LANGENBECK RETRACTOR-BLADE 40MM	1			
65	LANGENBECK RETRACTOR-BLADE-45MM	1			
66	LANGENBECK RETRACTOR-BLADE SHARP 50MM	1			

67	LANGENBECK RETRACTOR-BLADE 55MM	1				
68	BLACK HOOK (DURA HOOK)	1				
69	SUCTION TIP BLACK CVD RIGHT	1				
70	BONE GRAFFT HOLDER	1				
71	FINOCHITO RETRACTOR	1				
72	BONE CUTTER MEDIUM	1				
73	COBBS ELEVATORS	1				
74	LEKSELL'S ROUNGERS DOUBLE ACTION	1				
75	LEKSELL'S ROUNGER DOUBLE ACTION	1				
76	REDUCTION FORCEPS T POINT	1				
77	LEMPERT CURETTE	1				
78	DEBKEY VASCULAR FORCEPS 6" -ATRAUMATIC TIP	1				
79	DISECTING FORCEPS 6" PLAIN	1				
80	DISECTING FORCEPS 6" TOOTH	1				
81	MC DONLAD DISSECTOR	1				
82	ALLIS TISSUE HOLDING FORCEPS 6"	1				
83	ARTERY FORCEPS KOCHER 10" STR	1				
84	ARTERY FORCEPS KOCHER 10'' CVD	1				
85	BARD PARKER HANDLE NO 3	1				
86	BARD PARKER HANDLE NO 4	1				
87	SUCTION TIP (NO,1) (, NO2) (NO3) (NO.4)-SET OF 4	1				
88	ARTERY FORCEPS MOSQUITO STR	1				
89	ARTERY FORCEPS MOSQUITO CVD	1				
90	MAYO NEEDLE HOLDER 10"-CHROME PLATED	1				
91	MAYO NEEDLE HOLDER 8"-CHROME PLATED	1				
92	MAYO NEEDLE HOLDER 6"-CHROME PLATED	1				
93	ARTERY FORCEPS SPENCERWELLS 6" STR	1				
94	ARTERY FORCEPS SPENCERWELLS 6'' CVD	1				
95	S.S KIDNEY TRAY 8''-GRADE-304	1		1		
96	S.S KIDNEY TRAY 6''-GRADE-304	1		1		
97	S.S BOWL 4''-GRADE-304	1				
98	PERIOSTEAL ELEVATOR FIBRE HAND CURVED ROUND EDGE WIDTH 6MM	1				

99PERIOSTAL ELEVATOR PERER HAND CURVED ST. EDGE WIDTH JAMM11 <th></th> <th></th> <th></th> <th></th> <th></th> <th>1</th> <th></th>						1	
101PERIOSTEAL ELEVATOR FIBRE HAND ST. EDGE WIDTH 13MM11 <th< td=""><td>99</td><td>PERIOSTEAL ELEVATOR FIBRE HAND CURVED ROUND EDGE WIDTH 13MM</td><td>1</td><td></td><td></td><td></td><td></td></th<>	99	PERIOSTEAL ELEVATOR FIBRE HAND CURVED ROUND EDGE WIDTH 13MM	1				
102 PRIOSTEAL ELEVATOR FIBRE HAND STRAIGHT ROUND EDGE WIDTH JAMM 1 <td< td=""><td>100</td><td>PERIOSTEAL ELEVATOR FIBRE HAND CURVED ST. EDGE WIDTH 6MM</td><td>1</td><td></td><td></td><td></td><td></td></td<>	100	PERIOSTEAL ELEVATOR FIBRE HAND CURVED ST. EDGE WIDTH 6MM	1				
Image: state of the state of	101	PERIOSTEAL ELEVATOR FIBRE HAND ST. EDGE WIDTH 13MM	1				
Image: stand bord bord bord bord bord bord bord bor	102	PERIOSTEAL ELEVATOR FIBRE HAND STRAIGHT ROUND EDGE WIDTH 14MM	1				
105HAMMER WITH FIBRE HANDLE 3SOGMS11 <t< td=""><td>103</td><td>PERIOSTEAL ELEVATOR FIBRE HAND STRAIGHT ROUND EDGE WIDTH 20MM</td><td>1</td><td></td><td></td><td></td><td></td></t<>	103	PERIOSTEAL ELEVATOR FIBRE HAND STRAIGHT ROUND EDGE WIDTH 20MM	1				
106REDUCTION FORCEPS11<	104	HAMMER WITH FIBRE HANDLE 250GMS	1				
107REDUCTION FORCEP WITH POINT111<	105	HAMMER WITH FIBRE HANDLE 350GMS	1				
108NOSE PLIER-SMALL11 </td <td>106</td> <td>REDUCTION FORCEPS</td> <td>1</td> <td></td> <td></td> <td></td> <td></td>	106	REDUCTION FORCEPS	1				
109OSTEOTOME STILLE TYPE STRAIGHT 10MM11 <td>107</td> <td>REDUCTION FORCEP WITH POINT</td> <td>1</td> <td></td> <td></td> <td></td> <td></td>	107	REDUCTION FORCEP WITH POINT	1				
110OSTEOTOME STILLE TYPE STRAIGHT 15MM11 <td>108</td> <td>NOSE PLIER-SMALL</td> <td>1</td> <td></td> <td></td> <td></td> <td></td>	108	NOSE PLIER-SMALL	1				
111OSTEOTOME STILLE TYPE CURVED 5MM11<	109	OSTEOTOME STILLE TYPE STRAIGHT 10MM	1				
112OSTEOTOME STILLE TYPE CURVED 5MM11<	110	OSTEOTOME STILLE TYPE STRAIGHT 15MM	1				
113OSTEOTOME STILLE TYPE CURVED 15MM11	111	OSTEOTOME STILLE TYPE STRAIGHT 25MM	1				
114OSTEOTOME STILLE TYPE CURVED 20MM11	112	OSTEOTOME STILLE TYPE CURVED 5MM	1				
115OSTEOTOME STILLE TYPE CURVED 25MM11	113	OSTEOTOME STILLE TYPE CURVED 15MM	1				
116STILLE GAUGE CURVED 5MM11 <td>114</td> <td>OSTEOTOME STILLE TYPE CURVED 20MM</td> <td>1</td> <td></td> <td></td> <td></td> <td></td>	114	OSTEOTOME STILLE TYPE CURVED 20MM	1				
117STILLE GAUGE CURVED 10MM111 <td>115</td> <td>OSTEOTOME STILLE TYPE CURVED 25MM</td> <td>1</td> <td></td> <td></td> <td></td> <td></td>	115	OSTEOTOME STILLE TYPE CURVED 25MM	1				
118STILLE GAUGE CURVED 15MM111 <td>116</td> <td>STILLE GAUGE CURVED 5MM</td> <td>1</td> <td></td> <td></td> <td></td> <td></td>	116	STILLE GAUGE CURVED 5MM	1				
119STILLE GAUGE STRAIGHT SMM111 <td>117</td> <td>STILLE GAUGE CURVED 10MM</td> <td>1</td> <td></td> <td></td> <td></td> <td></td>	117	STILLE GAUGE CURVED 10MM	1				
120STILLE GAUGE STRAIGHT 10MM111 </td <td>118</td> <td>STILLE GAUGE CURVED 15MM</td> <td>1</td> <td></td> <td></td> <td></td> <td></td>	118	STILLE GAUGE CURVED 15MM	1				
121STILLE GAUGE STRAIGHT 15MM111 </td <td>119</td> <td>STILLE GAUGE STRAIGHT 5MM</td> <td>1</td> <td></td> <td></td> <td></td> <td></td>	119	STILLE GAUGE STRAIGHT 5MM	1				
122OSTEOTOME STILLE TYPE CURVED 10MM11	120	STILLE GAUGE STRAIGHT 10MM	1				
123OSTEOTOME STILLE TYPE CURVED 15MM111111124OSTEOTOME STILLE TYPE CURVED 20MM11 </td <td>121</td> <td>STILLE GAUGE STRAIGHT 15MM</td> <td>1</td> <td></td> <td></td> <td></td> <td></td>	121	STILLE GAUGE STRAIGHT 15MM	1				
124OSTEOTOME STILLE TYPE CURVED 20MM11	122	OSTEOTOME STILLE TYPE CURVED 10MM	1				
125CHISEL STILLE TYPE STRAIGHT 7" 10MM11 <td>123</td> <td>OSTEOTOME STILLE TYPE CURVED 15MM</td> <td>1</td> <td></td> <td></td> <td></td> <td></td>	123	OSTEOTOME STILLE TYPE CURVED 15MM	1				
126CHISEL STILLE TYPE STRAIGHT 7" 20MM11111127CHISEL STILLE TYPE STRAIGHT 7" 15MM11 <td< td=""><td>124</td><td>OSTEOTOME STILLE TYPE CURVED 20MM</td><td>1</td><td></td><td></td><td></td><td></td></td<>	124	OSTEOTOME STILLE TYPE CURVED 20MM	1				
127CHISEL STILLE TYPE STRAIGHT 7" 15MM11 <td>125</td> <td>CHISEL STILLE TYPE STRAIGHT 7" 10MM</td> <td>1</td> <td></td> <td></td> <td></td> <td></td>	125	CHISEL STILLE TYPE STRAIGHT 7" 10MM	1				
128 CHISEL STILLE TYPE CURVED 7" 20MM 1 Image: Comparison of the state of the s	126	CHISEL STILLE TYPE STRAIGHT 7" 20MM	1				
129 OSTEOTOME STILLE TYPE CURVED 7" 6MM 1 Image: Comparison of the second secon	127	CHISEL STILLE TYPE STRAIGHT 7" 15MM	1				
	128	CHISEL STILLE TYPE CURVED 7" 20MM	1				
130 OSTEOTOME STILLE TYPE STRAIGHT 7" 8MM 1	129	OSTEOTOME STILLE TYPE CURVED 7" 6MM	1				
	130	OSTEOTOME STILLE TYPE STRAIGHT 7" 8MM	1				

131	CHISEL STILLE TYPE STRAIGHT 7" 8MM	1			
132	CHISEL STILLE TYPE STRAIGHT 10MM	1	 		
132	CHISEL STILLE TYPE STRAIGHT 12MM	1			
133	OSTEOTOME STILLE TYPE STRAIGHT 12/01/01	1			
134	TOTAL - 01 SET	1			
	HAND SURGERY BOX - CONSISTING OF:				
1	ADSON PERIOSTEAL ELEVATORS CURVED BLUNT WIDTH 6mm 170mm	1			
2	JEFFERSON S/R RETRACTOR 3X4 PRONGS 140mm	1	 		
3	TENOTOMY KNIFE 8" -	1			
4	LANGENBECK RETRACTOR 215mm,35X15mm	2			
5	LANGENBECK RETRACTORS 215mm,25X6mm	2			
6	DIRECTOR WITH ANEURYSM NEEDLE 110mm	1			
7	SINGLE HOOK RETRACTOR BLUNT 160mm	4			
8	HALSEY NEEDLE HOLDERS WITH SMOOTH JAWS 120mm T.C. TIP	1			
9	BUCK BONE LEVERS 160mm	2			
10	MALLEABLE PROBES WITH EYE 125mm	1			
11	GILLIES SKIN HOOK 185mm	4			
12	FISCH NERVE HOOK BLUNT 185mm "	3			
13	CUSHING DISSECTING FORCEPS BAYONET SHAPE PLAIN 180mm	1			
14	CUSHING DISSECTING FORCEPS BAYONET SHAPE PLAIN 200mm	1			
	TOTAL - 01 SET				
	PAEDIATRIC BASIC SET - CONSISTING OF:				
1	MAIER SPONGE & DRESSING FORCEPS W/O RATCHET STRAIGHT 265MM	1			
2	B.P. HANDLE NO.3	1			
3	IRIS SCISSOR CURVED 115MM	1			
4	BABY-METZENBAUM CURVED T.C. INSERT 150MM	1			
5	METZENBAUM SCISSOR CURVED T.C. INSERT 180MM	1			
6	ADSONS DISSECTING FORCEPS PLAIN 125MM	1			
7	ADSONS DISSECTING FORCEPS TOOTHED 125MM	1			
8	MICRO ADSONS DISSECTING FORCEPS FINE TOOTHED 150MM	1			
9	STANDARD DISSECTING FORCEPS TOOTHED 150MM	1			
10	STANDARD DISSECTING FORCEPS PLAIN 150MM	1			
11	DEBAKEY DISSECTING FORCEPS TRAUMANIL JAW ST. 1.5MM, 150MM	1			

12	SURGICAL NON-PERFORATING TOWEL CLAMP	1				
13	GROSS SPONGE & DRESSING FORCEPS BOX JOINT WITH RATCHET CURVED 200MM	1				
14	HALSTED HEMOST. FORCEPS CURVED 5", PLAIN	1				
15	HALSTED HEMOST. FORCEPS CURVED 5", TOOTHED	1				
16	BABY MIXTER LIGATURE FORCEPS 185MM	1				
17	HALSEY NEEDLE HOLDER T.C. INSERT 130MM	1				
18	CRILE WOOD NEEDLE HOLDER T.C. INSERT 145MM	1				
19	RYDER NEEDLE HOLDER T.C. INSERT 135MM	1				
20	MYRTLE LEAF PROBE 170MM	1				
21	DIRECTOR, 140MM "	1				
22	DESMARRES EYE LID RETRACTOR HANDHELD FORGED SINGLE PIECE 11 X 14MM, 110MM	1				
23	DESMARRES EYE LID RETRACTOR HANDHELD FORGED SINGLE PIECE 12 X 16MM, 140MM	1				
24	PARKER RETRACTOR 150MM, 22x15, 22x15MM	1				
25	PARKER RETRACTOR 150MM, 25x15, 38x15MM	1				
26	BABY-MIKULICZ PERITONEUM FORCEPS 140MM	1				
27	DESCHAMPS BLUNT LIGATURE RIGHT 210MM	1				
28	KOEINIG GUIDING PROBE, NARROW FLAT 200MM	1				
29	TRAY-12"X10"-GRADE-304	1				
30	SPONGE HOLDING FORCEP 10"	1				
31	BARD PARKER HANDLE NO 3	1				
32	TOWEL CLIP	1				
33	SEN MILLER RETRACTOR	1				
34	BABCOOK TISSUE HOLDING FORCEPS-5"	1				
35	DEVERS RETRACTOR PEAD	1				
36	FINOCHITTO RETRACTOR	1				
37	SUCTION TIP NO.1	1				
38	MC DONALD FORCEPS PLAIN	1				
39	IRIS SCISSOR 4 CVD"-TRUCUT TIP CHROME PLATED	1				
40	ARTERY FORCEPS MOUSQUITO STR 5"	1				
41	ALLIS TISSUE HOLDING FORCEPS 4"	1				
42	WEITL BECKMANN RETRACTOR BLUNT 17.0 CM	1				

r			1	1	1	1	1	1
43	DEBAKEY ATRAUMATIC VASCULAR FCPS 15 CM 1.5 MM -ATRAUMATIC TIP	1						
44	DEBAKEY ATRAUMATIC VASCULAR FCPS 20 CM 1.5 MM -ATRAUMATIC TIP	1						
45	ADSON HM (TC) DRESSING FORCEPS 12 CM -T.C TIP-GOLD PLATED	1						
46	ADSON HM (TC) TISSUE FORCEPS 12 CM 1X 2 -T.C TIP-GOLD PLATED	1						
47	FRAZIER SUCTION TUBE 8 FR STR 12.5 CM	1						
48	FRAZIER SUCTION TUBE 10 FR STR 12.5 CM	1						
49	BABY CRILE WOOD NEEDLE HOLDER 15 CM-T.C.TIP-GOLD PLATED	1						
50	MICRO SLIM HM NH18 CM-TC TIP-CASTROVEIJO NEEDLE HOLDER 7"	1						
51	MICRO JACOBSON HEMOST FORCEPS CVD 12.5 cm	1						
52	HARTMANN HEMOST FORCEPS 9 CM STR	1						
53	HARTMANN HEMOSTATIC FORCEPS 9 CM CVD	1						
54	REYNOLDS (JAMESON) SCRS CVD 18 CM	1						
55	SUPER CUT PLUS GREENBERG PAR SCISSORS CVD 11.5 CM	1						
56	METZENBAUM SCISSOR SLIM CVD 14 CM-TRUCUT TIP CHROME PLATED	1						
57	MAYO SCISSOR CVD 14 CM -TRUCUT TIP CHROME PLATED	1						
58	MICRO BULLDOG CLAMP 4.0 CM STRONG CVD V -SINGLE CLAMP- ATRAUMATIC TIP	1						
59	MICRO BULLDOG CLAMP 4.0 CM CVD V-ATRAUMATIC TIP	1						
60	DOYEN INTESTINAL FORCEPS 13 CM CVD-ATRAUMATIC TIP	1						
61	DEBAKEY ATRAUMATIC VASCULAR 6" -ATRAUMATIC TIP	1						
62	KIDNEY TRAY 6''-GRADE-304	1						
63	S.S BOWL 3.5"-GRADE-304	1						
	TOTAL - 01 SET							
	BASIC SET FOR ADULT CARDIO THORACIC SURGERY - CONSISTING OF:							
1	SPONGE HOLDING DRESSING FORCEPS 200mm	2						
2	SCHADEL TOWEL CLAMPS 90mm	10						
								00

3	SURGICAL NON-PERFORATING TOWEL CLAMP 110mm	10			
4	SURGICAL NON-PERFORATING TOWEL CLAMP 125mm	10			
5	ALLIS TISSUE GRASPING FORCEPS ATRAUMATIC JAW 150mm	6			
6	ALLIS TISSUE GRASPING FORCEPS ATRAUMATIC JAW 200mm	6			
7	B.P. HANDLE NO.4	2			
8	B.P. HANDLE NO.7	2			
9	B.P HANDLE NO.3	1			
10	B.P HANDLE BAYONET	1			
11	HALSTED MOSQUITO ARTERY FORCEPS CD.125mm	15			
12	CRILES HAEMOSTATIC FORCEPS CD.140mm	15			
13	HALSTEAD MOSQUITO ARTERY FORCEPS ST 125mm	6			
14	ADSON ARETRY FORECPS ST. 180mm	2			
15	LIGATURE FORCEPS 220mm	1			
16	MAYOS SAFETY PIN INSTRUMENT HOLDER140mm	4			
17	KORTE RETRACTOR 4 PRONGS5.5CM, 460MM	1			
18	KOCHER LANGENBECK RETRACTOR HANDLE 25X6MM "A" 215mm	2			
19	KOCHERS RETRACTORS 230mm	1			
20	KOCHERS RETRACTORS 250mm	1			
21	DAVIDSON SCAPULA RETRACTOR ADULT	1			
22	LANGENBECK RETRACTORS 215mm,25X6mm	1			
23	WAGNER HOOK 140mm	1			
24	METZENBAUM SCISSORS CURVED 150mm	1			
25	METZENBAUM SCISSORS CURVED 200mm	2			
26	KRAYENBHUL NERVE HOOK WITH SMALL BALL 185mm	1			
27	IRIS SCISSORS STRAIGHT 115mm	2			
28	MAYOS HARRINGTON SCISSOR, CURVED 22.5CM	1			
29	DISSECTING FORCEPS 2 X 3 TEETH HEAVY 20CM	2			
30	STANDARD DISSECTING FORCEPS TOOTHED 125mm	1			
31	STD DISSECTING FORCEPS TOOTHED 150mm	1			
32	ULTRALIGHT DISSECTING FORCEPS TRAUMANIL JAWS 150mm	1			
33	ULTRALIGHT DISSECTING FORCEPS TRAUMANIL JAWS 200mm	1		1	
34	DEBAKEY VASCULAR TISSUE FORCEPS ST.1.5mm 200mm	1			
35	WETLANER SELF RETAINING RETRACTOR BLUNT 3x4 PRONGS 140mm	1			

36WETLANER SELF RETAINING RETRACTOR BLUNT 3 x 4 PRONGS 240mm1111137DEBAKEY NEEDLE HOLDER STANDARD 180MM T.C. TIP1111138MAYO HEGAR NEEDLE HOLDER T/C TIP 200MM11111139WANGENSTEEN NEEDLE HOLDERS' LONG JAWS 275mm111111140COOLEY ARTERIAL RETRACTOR RIGHT WITH FIBER HANDLE11	
38MAYO HEGAR NEEDLE HOLDER T/C TIP 200MM1139WANGENSTEEN NEEDLE HOLDERS' LONG JAWS 275mm1 <t< td=""><td></td></t<>	
39WANGENSTEEN NEEDLE HOLDERS' LONG JAWS 275mm1IIII40COOLEY ARTERIAL RETRACTOR RIGHT WITH FIBER HANDLE1IIII41COOLEY ARTERIAL RETRACTOR LEFT WITH FIBER HANDLE1IIIII41COOLEY ARTERIAL RETRACTOR LEFT WITH FIBER HANDLE1IIIIII41SPONGE HOLDING SETII <t< td=""><td></td></t<>	
40 COOLEY ARTERIAL RETRACTOR RIGHT WITH FIBER HANDLE 1	
41 COOLEY ARTERIAL RETRACTOR LEFT WITH FIBER HANDLE 1 Image: Constraint of the second s	
TOTAL 01 SET Image: Constraint of the second se	
MAJOR BASIC SET FOR HEART - ADULT - CONSISTING OF:Image: Constant of the second se	
1 SPONGE HOLDING DRESSING FORCEPS 250mm 2 2 2 2 SURGICAL NON-PERFORATING TOWEL CLAMP 110mm 20 20 20	
2 SURGICAL NON-PERFORATING TOWEL CLAMP 110mm 20	
3 B.P HANDLE NO.3 1	
4 B.P. HANDLE NO.3 LARGE 1	
5 B.P. HANDLE NO.4 1	
6 DRESSING SCISSORS SH/BL ST. 150mm 1	
7 COOPER SCISSORS BL/BL CURVED 165mm (CSC-416) 1 1	
8 LEXER DISSECTING SCISSORS CURVED 180mm (CSC-282C) 1	
9 DOYEN ABDOMINAL SCISSOR CURVED 18CM 1	
10 TONNIS-ADSON DISSECTING SCISSORSCD. 175mm 1	
11 METZENBAUM SCISSORS CURVED 200mm 1	
12 METZENBAUM SCISSORS CURVED 250mm 1	
13 NELSON METZENBAUM SCISSOR CURVED 30CM (BSC-P19) 1	
14 STANDARD DISSECTING FORCEPS TOOTHED 250mm 1	
15 STANDARD DISSECTING FORCEPS NON-TOOTHED 250mm 1	
16 STANDARD DISSECTING FORCEPS PLAIN 150mm 2	
17 STD DISSECTING FORCEPS TOOTHED 150mm 2	
18 CUSHING DRESSING FORCEPS STRAIGHT PLAIN 175MM 1	
19 DEBAKEY VASCULAR TISSUE FORCEPS ST.1.5mm 200mm 2	
20 DEBAKEY DISSECTING FORCEP TRAUMANIL JAWS ST. 2mm 200mm 1	
21 DEBAKEY DISSECTING FORCEP TRAUMANIL JAWS ST. 2.4mm 240mm 2	
22 DEBAKEY DISSECTING FORCEP TRAUMANIL JAWS ST. 2.8mm 240mm 2	
23 DEBAKEY DISSECTING FORCEP TRAUMANIL JAWS ST. 2.8mm 300mm 1	
24 MAIER SPONGE & DRESSING FORCEPS WITH RATCHET 265MM ST. 2	
25 MUKULICZ PERITONEUM FORCEPS 205mm 2	

					1	
26	COLLIN SPONGE & DRESSING FORCEPS 240mm	1				
27	ALLIS TISSUE GRASPING FORCEPS 200mm	1				
28	ALLIS TISSUE GRASPING FORCEPS 150mm	2				
29	BABCOCK TISSUE GRASPING FORCEPS 200mm	2				
30	DISS.L/FORCEPS MIXTER LONGITUDINAL SERRATED JAW 220mm	2				
31	DISS.L/FORCEPS MIXTER LONGITUDINAL SERRATED JAW 250mm	2				
32	LAHEY GALL DUCT FORCEPS 225MM	1				
33	HEMOSTATIC FORCEPS TRAUMANIL RANGE MOSQUITO TYPE ST. 125mm	3				
34	HALSTED MOSQUITO ARTERY FORCEPS CD.125mm	8				
35	PEANS HAEMOSTATIC FORCEPS ST.150mm	8				
36	KOCHERS HAEMOSTATIC FORCEPS ST.150mm	8				
37	KOCHERS HAEMOSTATIC FORCEPS CD.150mm	8				
38	HEISS HAEMOSTATIC FORCEPS ST.200mm	2				
39	DEBAKEY DISSECTING FORCEP TRAUMANIL JAWS ST. 3.3mm 240mm	2				
40	DEBAKEY AORTA ANEURYSM CLAMPS 3CURVEE TRAUMANIL JAW 255mm	1				
41	DEBAKEY AORTA ANEEURYSM CLAMPS 3CURVES TRAUMANIL JAWS 265mm	1				
42	DEBAKEY TANGENTIAL OCCLUSION CLAMPS 38mm 220mm	1				
43	DEBAKEY TANGENTIAL OCCLUSION CLAMPS 48mm x 265mm	1				
44	DEBAKEY COARCTATION & PATENT DUCTUS CLAMPS ST.JAW 6.5cm 225mm	1				
45	CRAFORD-SELLOR BRONCHUS CLAMP 240mm	1				
46	RUMEL TOURNIQUET DILATOR FOR PURSE STRING SUTURE TENSION.WITH STILET 4MM	1				
47	MAYO HEGARS NEEDLE HOLDERS 200mm	1				
48	MAYO HEGAR NEEDLE HOLDER T/C TIP 200MM	1				
49	SENNING NEEDLE HOLDER 170mm	1				
50	WANGENSTEEN NEEDLE HOLDERS' LONG JAWS 275mm	1				
51	KOCHER LANGENBECK RETRACTOR 20 X 15 X 18CM	2				
52	KOCHER RETRACTOR LANGENBECK FORGED RING HANDLE 35X15MM "A" 215MM	2				
53	VOLKMANN RETRACTOR BLUNT 6 PRONGS 220mm	2				
54	KOCHER RETRACTOR LANGENBECK FORGED RING HANDLE 35X8MM "A" 215MM	2				
55	KOCHER L/B RETRACTOR 55 X 22MM	2				
L						

56	KOCHER RETRACTOR LANGENBECK FORGED RING HANDLE 70X14MM "A" 215MM	2			
57	LANGENBECK RETRACTORS 215mm,40X11mm	2			
58	U.S. ARMY RETRACTOR DOUBLE ENDED (SET OF 2) 8-1/4" -	1			
59	SPATULA MALLEABLE 40MM X 33CM	1			
60	NERVE HOOK 28cm	1			
61	DEBAKEY RIB SPREADERS WITH 3 PAIRS OF BDE SPREAD 150mm,30,40,50mm	1			
	TOTAL 01 SET				
	CORONARY ARTERY BYPASS SET - CONSISTING OF:				
1	DEBAKEY VASCULAR DILATOR 0.5mm	1			
2	DEBAKEY VASCULAR DILATOR 1.0mm	1			
3	DEBAKEY VASCULAR DILATOR 1.5mm	1			
4	DEBAKEY VASCULAR DILATOR 2.0mm	1			
5	DEBAKEY VASCULAR DILATOR 2.5mm	1			
6	DEBAKEY VASCULAR DILATOR 3.0mm	1			
7	DIETHERICH SCISSORS ANGLED ON SIDE 25DEG.175mm	1			
8	DIETHRICH SCISSORS ANGLED ON SIDE 45DEG. 175mm	1			
9	DIETHRICH SCISSORS ANGLED ON SIDE 60DEG. 175mm	1			
10	DIETHRICH SCISSORS ANGLED ON SIDE 90DEG. 175mm	1			
11	DIETHIRCH SCISSORS 125DEG,175mm	1			
12	DERRA PEAD.ANASTO.AND M/P CLAMP 170mm STYLE 1	1			
13	DERRA PAED.ANASTO. AND M/P CLAMPS 170mm STYLE 2	1			
14	DERRA PAED.ANASTO. AND M/P CLAMPS 170mm STYLE 3	1			
15	B.P HANDLE BAYONET	1			
16	B.P. BLADE, STERILE, ISI"LISTER" (BOX OF 100)	1			
17	PLESTER SUCTION CANNULA 3MM	1			
18	CASTRO.NEEDLE HOLDERS WITH CATCH, FLAT HANDLES ST. 160mm	1			
19	RYDER NEEDLE HOLDER DELICATE 175MM T/C TIP	1			
20	THOMS-GAYLOR BIOPSY FORCEPS 240mm	1			
21	SCHMIDT VESSEL CANNULA 4mm	1			
	TOTAL 01 SET				
	INTERNAL MAMMARY ARTERY REMOVAL SET - CONSISTING OF:				

		<u>г</u>	 - T		1	
1	HALSTED MOSQUITO ARTERY FORCEPS CD.125mm	3	_			
2	STD DISSECTING FORCEPS TOOTHED 150mm	1				
3	CRILE WOOD NEEDLE HOLDERS 150mm	2				
4	BABY MIXTER LIGATURE FORCEPS 150mm	2				
5	MICRO SUTURE TYING FORCEPS ST.TIP 0.3mm x 120mm	1				
6	MICRO NEEDLE HOLDER W/O CATCH ST.160mm	1				
7	DIETHRICH SCISSORS ANGLED ON SIDE 45DEG. 175mm	1				
8	DESMARRES RETRACTOR HANDHELD FORGED SINGLE PIECE 12x16mm 140mm	1				
9	VOLKMANN RETRACTOR BLUNT 4 PRONGS 220mm	2				
10	WEISLANDER S/R RETRACTOR 2X3 PRONGS BLUNT 105mm	1				
11	WETLANER SELF RETAINING RETRACTOR BLUNT 3 x 4 PRONGS 165mm	1				
12	I.M.A RETRACTOR WITH ONE STERNAL BLADE AND TWO ADJUSTABLE BLADE FOR PREPARATION OF A MAMMARIAE INTERNAE ARM LENGTH - 190mm, CENTER ARM LENGTH - 170mm, SPREAD 190mm, ROCK LENGTH 235mm	1				
	TOTAL 01 SET					
	THORACOTOMY SET - CONSISTING OF:					
1	SURGICAL NON-PERFORATING TOWEL CLAMP150mm	6				
2	B.P. HANDLE NO.4	1				
3	B.P. HANDLE NO.7	2				
4	WAUGH TONSIL DISSECTING FORCEPS TOOTHED 200mm	1				
5	WAUGH DISSECTING FORCEPS PLAIN 200mm	4				
6	FINE DISSECTING FORCEPS TOOTHED 200mm	2				
7	FINE DISSECTING FORCEPS TOOTHED 150mm	2				
8	FINE DISSECTING FORCEPS PLAIN 230mm	1				
9	FINE DISSECTING FORCEPS PLAIN 180mm	1				
10	ADSONS DISSECTING FORCEPS TOOTHED 153mm	2				
11	ADSONS DISSECTING FORCEPS PLAIN 153mm	2				
12	MAYOS SCISSORS ST. 150mm	1				
13	MAYOS SCISSORS CD. 150mm	1				
14	METZENBAUM SCISSORS STRAIGHT 200mm	2				
15	METZENBAUM SCISSORS STRAIGHT 150mm	1				
16	METZENBAUM SCISSORS STRAIGHT 250mm	2				
16 17	METZENBAUM SCISSORS STRAIGHT 250mm NELSON METZENBAUM SCISSOR CURVED 30CM (BSC-P19)	2 2				

						1
18	MAYO HEGARS NEEDLE HOLDERS HEAVY 200mm	2				
19	MAYO HEGARS NEEDLE HOLDERS 150mm	2				
20	STANDRAD DISSECTING FORCEPS PLAIN 230mm	4				
21	ROBERTS HAEMOSTATIC FORCEPS ST.245mm	6				
22	SPENCER WELLS HAEMOSTATIC FORCEPS ST. 200mm	6				
23	SPENCER WELLS HAEMOSTATIC FORCEPS ST. 180mm	10				
24	HALSTED MOSQUITO ARTERY FORCEPS CD.125mm	10				
25	HALSTEAD MOSQUITO ARTERY FORCEPS ST 125mm	8				
26	DUVAL LUNG GRASPING FORECPS 2.5cm200mm	3				
27	LANES TOWEL CLAMPS 200mm	2				
28	MIXTERS LIGATURE FORCEPS 200mm	3				
29	BABY MIXTER LIGATURE FORCEPS 140mm	2				
30	GIGLI SAW WIRE - IMPORTED	1				
31	FINOCHIETTO RETRACTOR ADULT, MEDIUM BLADES SPREAD 210mm,65X45mm	1				
32	FINOCHIETTO RIB SPREADERS CHILD BLADES SPREAD140mm,45X36mm	1				
33	FINOCHIETTO RIB SPREADERS INFANT BLADES SPREAD 120mm,32X28mm	1				
34	ALLISON LUNG SPATULA SCAPULA RETRACTOR WIRE ADULT	1				
35	ALLISON LUNG SPATULA SCAPULA RETRACTOR CHILD	1				
36	DAVIDSON SCAPULA RETRACTOR ADULT	1				
37	HOEN PERIOSTEAL ELEVATOR WIDTH 7mm185mm	1				
38	ALLIS TISSUE GRASPING FORCEPS 150mm	6				
39	BABCOCK TISSUE GRASPING FORCEPS 200mm	6				
40	LAMBOTTE RIB RASPATORIES CD.15mm 215mm	1				
41	TOURNIQUET DILATORS RUMEL FOR SUTURE.WITH STILLETE 6mm 325mm	1				
42	SPONGE HOLDING DRESSING FORCEPS 250mm	6				
43	SCHADEL TOWEL CLAMPS 90mm	4				
44	TUDOR EDWARDS RIB SHERAS COMPOUND ACTION 260mm	1		1		
45	POTTS-SMITH SCISSORS ANGLED ON FLAT185mm	1		1		
	TOTAL 01 SET					
	ENDARTERECTOMY SET - CONSISTING OF:					
1	SPONGE HOLDING DRESSING FORCEPS 250MM	4				
2	SURGICAL NON-PERFORATING TOWEL CLAMP 125MM	6				
3	B.P. HANDLE NO. 3	1		1		
3	B.P. HANDLE NO. 3	1				

4		1					
4	MAYOS SCISSOR ST. 180MM	1					
5	MAYOS SCISSOR CD.180MM	1					
6	METZENBAUM SCISSOR CD. 180MM	1					
7	IRIS SCISSOR ST. 115MM	1					
8	IRIS SCISSOR CD.115MM	1					
9	POTTS-SMITH SCISSOR ANGLED ON SIDE 45 DEG. 185MM	1					
10	ADSONS DISSECTING FORCEPS PLAIN 125MM	2					
11	ADSONS DISSECTING FORCEPS TOOTHED 125MM	2					
12	STANDARD DISSECTING FORCEPS PLAIN 150MM	2					
13	STANDARD DISSECTING FORCEPS TOOTHED 150MM	2					
14	ALLIS TISSUE GRASPING FORCEPS 150MM	6					
15	HALSTED MOSQUITO ARTERY FORCEPS CD. 125MM	12					
16	KELLYS HAEMOSTATIC FORCEPS CD. 140MM	12					
17	PEANS ARTERY FORCEPS CD. 150MM	6					
18	BABY MIXTER LIGATURE FORCEPS 185MM	2					
19	GLOVER BULLDOG CLAMPS TRAUMANIL JAW CD. 68MM	2					
20	GLOVER BULLDOG CLAMPS TRAUMANIL JAW CD. 96MM	2					
21	GLOVER BULLDOG CLAMPS TRAUMANIL JAW CD. 117MM	2					
22	RICHARDSON RETRACTOR 240MM, 25X20MM	2					
23	U.S. ARMY RETRACTOR DOUBLE ENDED (SET OF 2) 8-1/4" -	1					
24	MALLEABLE PROBES WITH EYE 150MM	2					
25	HANDLE FOR STRIPPER	1					
26	PENFIELD DISSECTING SLIGHTLY CURVED 205MM	1					
27	FRAIZER TUBE ANGLED	2					
28	CRILE WOOD NEELDE HOLDER 150MM	2					
	TOTAL 01 SET						
	BASIC SET FOR PAEDIATRIC CARDIO-THORACIC SURGERY - CONSISTING OF:						
1	SURGICAL NON-PERFORATING TOWEL CLAMP 110mm	20					
2	MAYO HEGAR STANDARD NEEDLE HOLDER 250MM T.C.TIP	2					
3	B.P. HANDLE NO.4	1					
4	B.P HANDLE NO.3	1					
5	MAYO HEGARS NEEDLE HOLDERS 200mm	3					
6	PEANS ARTERY FORCEPS CD. 150mm	10					
		-	1 1	II	I	L	22

					T]
7	KOCHERS RETRACTORS 230mm	2	 			
8	SIMS MAIER SPONGE & DRESSING FORCEPS STRAIGHT 280MM	1				
9	HEISS HAEMOSTATIC FORCEPS ST.200mm	4	 			
10	ADSON ARETRY FORECPS ST. 180mm	2	 			
11	MIXTERS LIGATURE FORCEPS 200mm	2	 			
12	MIXTERS LIGATURE FORCEPS 230mm	2				
13	DEBAKEY VASCULAR TISSUE FORCEPS ST.1.5mm 200mm	2				
14	FINE DISSECTING FORCEPS TOOTHED 150mm	2				
15	STD DISSECTING FORCEPS TOOTHED 150mm	2				
16	MAYO-LEXER SCISSOR CURVED165mm, T/C TIP	2				
17	BABY-METZENBAUM SCISSORS T/C TIPST. 145mm	1				
18	METZENBAUM SCISSORS TC TIP CD 180mm	3				
19	DRESSING SCISSORS BL/BL ST.150mm	1				
20	JAMESON SCISSORS CD.150mm	1				
21	POTTS-SMITH SCISSORS ANGLED ON SIDE 45DEG. 185mm	1				
22	FISCH NERVE HOOK BLUNT 185mm	1				
23	MCINDOE DISSECTING FORCEPS 150mm	1				
24	BABY MIXTER LIGATURE FORCEPS 140mm	1				
25	ZENKER RETRACTOR HOLLOW HANDLE NO.1	2				
26	LANGENBECK RETRACTORS 215mm,65X25mm	2				
27	KOCHER RETRACTOR LANGENBECK FORGED RING HANDLE 35X8MM "A" 215MM	2				
28	KONIG VEIN AND WOUND RETRACTOR13 X 13MM, 17CM	4				
29	DESMARRES EYE LID RETRACTOR 11x14mm110mm	2				
30	CUSHING RETRACTOR HOLLOW HANDLE 11x14mm 250mm	2				
31	DEBAKEY DISSECTING FORCEP TRAUMANIL JAWS ST.1.5mm 150mm	2				
32	FINOCHIETTO RIB SPREADERS CHILD BLADES SPREAD140mm,45X36mm	1				
33	FINOCHIETTO RIB SPREADERS INFANT SPREAD 64mm,190X210mm	1				
34	COOLEY RIB SPREADERS STERNAL RETRACTORS FIXED BLADES, SPREAD 145MM 45 X 21mm	1				
35	ALLIS TISSUE GRASPING FORCEPS ATRAUMATIC JAW 200mm	2				
36	TOURNIQUET DILATORS RUMEL FOR SUTURE.WITH STILETTE 4mm 325mm	2				
37	TOURNIQUET DILATORS RUMEL FOR SUTURE.WITH STILLETE 6mm 325mm	2				

			1		1	1	T	
38	FINE DISSECTING FORCEPS PLAIN 150mm	1						
39	DEBAKEY BULLDOG VASCULAR CLAMPS ST.80mm	4						
40	GIGLI SAWHANDLE 'T' TYPE	4						
41	DEBAKEY PAEDIATRIC ANASTOMISIS AND MULTIPURPOSE CLAMPS 170mm	1						
42	DERRA PEAD.ANASTO.AND M/P CLAMP 170mm STYLE 1	1						
43	DERRA PAED.ANASTO. AND M/P CLAMPS 170mm STYLE 2	1						
44	DERRA PAED.ANASTO. AND M/P CLAMPS 170mm STYLE 3	1						
45	COOLEY PAED.ANASTOMOSIS AND MULTIPURPOSE CLAMPS 160mm 60DEG.	1						
46	COOLEY PAED.ANASTOMOSIS AND MULTIPURPOSE CLAPMS 160mm	1						
47	CASTANDA ANASTOMOSIS CLAMP 125mm	1						
48	CASTENDA ANASTOMOSIS CLAMP 110mm	1						
49	COOLEY ARTERIAL RETRACTOR RIGHT WITH FIBER HANDLE	1						
50	COLLEY ARTERIAL RETRACTOR RIGHT SERRATED WITH FIBER HANDLE	1						
	TOTAL 01 SET							
	OPEN HEART SURGERY SET - CONSISTING OF:							
1	B.P. HANDLE NO.4	2						
2	B.P HANDLE NO.3	1						
3	B.P. HANDLE NO.7	1						
4	VOLKMANN CURETTE DOUBLE ENDED MEDIUM 230mm	1						
5	BONE AWL WITH EYE FIBRE HANDLE170mm	1						
6	VOLKMAN CURETTES DOUBLE ENDED LARGE230mm	1						
7	YAUNKERS SUCTION TUBE(BST530)	2						
8	SUCTION TIP NO.3	1						
9	REILL WIRE CUTTER DOUBLE ACTION175mm	1						
10	TUTTILE DISSECTING FORCEPS 200mm	1						
11	TUTTILE DISSECTING FORCEPS 200mm	1						
12	DISSECTING FORCEPS 2 X 3 TEETH 15CM	2						
13	ADSONS DISSECTING FORCEPS TOOTHED 125mm	1						
14	ADSONS DISSECTING FORCEPS TOOTHED 200mm	1						
15	FINE DISSECTING FORCEPS TOOTHED 125mm	1						
16	FINE DISSECTING FORCEPS TOOTHED 200mm	1						
17	LANGENBECK RETRACTORS 215mm,25X6mm	1						
·	1		1	1		1	1	1

		1		1	T	
18	LANGENBECK RETRACTORS 215mm,40X11mm	1				
19	LANGENBECK RETRACTORS 215mm,90 X 20mm	1				
20	VOLKMANN RETRACTOR BLUNT 4 PRONGS 220mm	2				
21	VOLKMANN RETRACTOR BLUNT 2 PRONGS 220mm	1				
22	CZERNY RETRACTORS 175mm,38X22mm 38X22mm	1				
23	I.M.A RETRACTOR WITH ONE STERNAL BLADE AND TWO ADJUSTABLE BLADE FOR PREPARATION OF A MAMMARIAE INTERNAE ARM LENGTH - 190mm, CENTER ARM LENGTH - 170mm, SPREAD 190mm, ROCK LENGTH 235mm	1				
24	SURGICAL NON-PERFORATING TOWEL CLAMP 150mm	15				
25	SURGICAL NON-PERFORATING TOWEL CLAMP 110mm	10				
26	KOCHERS HAEMOSTATIC FORCEPS ST.150mm	12				
27	STERNUM WIRE TWISTER 150mm	1				
28	HALSTED MOSQUITO ARTERY FORCEPS CD.125mm	10				
29	HALSTEAD MOSQUITO ARTERY FORCEPS ST 125mm	5				
30	SPENCER WELLS HAEMOSTATIC FORCEPS CD. 200mm	8				
31	SPENCER WELLS HAEMOSTATIC FORCEPS ST. 200mm	6				
32	ALLIS TISSUE GRASPING FORCEPS 200mm	2				
33	MIXTERS LIGATURE FORCEPS 200mm	3				
34	KOCHERS HAEMOSTATIC FORCEPS CD.200mm	1				
35	ALLIS TISSUE GRASPING FORCEPS 200mm	1				
36	BABCOCK TISSUE GRASPING FORCEPS 200mm	1				
37	TUBING CLAMP 5" -	3				
38	TUBING CLAMP WITHOUT LOCK 200mm	3				
39	DUVAL LUNG GRASPING FORECPS 2.5cm200mm	2				
40	MAYO HEGARS NEEDLE HOLDERS 230mm	4				
41	MAYO HEGAR STANDARD NEEDLE HOLDER 230MM T.C.TIP	1				
42	FINOCHIETTO RETRACTOR ADULT LARGE SPREAD 210mm,65X65mm	1				
43	MORSE STERNAL RETRACTORS ADULT SIZE SPREAD 205mm 28X28mm	1				
44	FINOCHIETTO RETRACTOR ADULT, MEDIUM BLADES SPREAD 210mm,65X45mm	1				
45	FAVALARO MORSE STERNAL RETR. MEDIUM BLADE SPREAD 28X25MM 200mm	1				
46	FINOCHIETTO RIB SPREADERS CHILD BLADES SPREAD 140mm,45X36mm	1				

47	FAVALARO - MORSE STERNUM SPREADER, CHILD BLADE SIZE 19X19mm SPREAD 160mm	1				
48	FINOCHIETTO RIB SPREADERS INFANT BLADES SPREAD 120mm,32X28mm	1				
49	COOLEY RIB SPREADERS STERNAL RETRACTORS FIXED BLADES, SPREAD 145MM 45 X 21mm	1				
50	FINOCHIETTO RIB SPREADERS INFANT SPREAD 64mm,190X210mm	1				
	TOTAL 01 SET					

Sr.No.	ALL THE INSTRU	Compliance (Yes/No)	Remarks	
Α	General Require			
1	List of Instruments As per technical annexure			
2	Material	Prefer stainless steel (AISI 410, 420, 316L) /Titanium/Tungsten Carbide. Please specify		
3	Anti-Rusting Coating	Please specify the special coating used if applicable		
4	Sterilization Compatibility			
В	Technical Specif	ications		
1	Ergonomic Design	Instruments should be easy to handle & should not induce undue fatigue		
2	Surface Finish Should be non-reflective and reduce glare. Please specify			
3	Joint Mechanism	Box lock/ screw lock/ riveted joints with smooth movement. Please specify		
4	Instrument tip protectors	The vendor should provide instrument tip protectors for all microsurgical instruments.		
С	Quality & Comp	liance		
1	Country of origin	To be specified		
2	Hard and soft copy of catalogue	To be enclosed with clear marking of quoted item		
3	Quality Certifications	ISO 13485/CE/ US FDA/ BIS/ CDSCO certification required. Please specify		
4	Batch Testing & QC Reports	Factory quality reports and third-party validation required. Please furnish valid document		
D	Onsite Maintenance			
1.1	Lubricant Spray Provision	a) Vendors should supply medical-grade, non-toxic lubricant sprays to maintain joint movement, prevent rusting and enhance durability.		
1.2		b) Ensure the spray is sterilization-compatible and approved for use in surgical instruments.		
2	Sharpening & Polishing Services	Scissors, osteotomes, and rongeurs should include free sharpening services & should maintain sharpness over multiple sterilization cycles.		
3	Replacement of Worn-Out Parts	Replacement of tungsten carbide inserts, joints, and insulated parts		
E	CSSD Barcode Tracking			
1	Barcode / QR Code Etching	Laser-engraved barcode/QR code for tracking which should withstand sterilization		
2	Integration with Hospital CSSD software System	Vendor must ensure barcode/QR code integration with existing hospital CSSD software		

F	Free Maintenan	ce	
1	Preventive Maintenance Visits	Two free preventive maintenance visits per year for at least five years	
2	Penalty for Non- Compliance	Penalty clause (5% invoice deduction) if vendor fails to comply with preventive maintenance as mentioned above	
G	Commercial & V	Varranty	
1	Spare Parts Availability	Vendor to provide at least 5 years of spare parts availability	
2	Buy-Back Option	Option to exchange old instruments at discounted rates	
3	Training for CSSD & OR Staff	Training sessions on handling, sterilization, and maintenance best practices	
Н	Other terms		
1	Defect Replacement Policy	Define criteria for rejection and replacement of defective items.	
2	Sterile vs. non- sterile	Specify whether instruments should be pre-sterilized or non-sterile.	
3	Packaging Standards	Instruments should be packed in tamper-proof, corrosion- resistant pouches or cases where applicable	
4	Labelling	Should include lot number, manufacturing date, expiry date (if applicable), and sterilization instructions.	
5	Warranty Period	Minimum Five years on the instrument type.	
6	Training & Demonstration	Support on onsite demonstration, training, and handling guidelines.	
7	Maintenance		
7.1		Half-Yearly Free Maintenance Clause	
7.2		Preventive Maintenance Visits: Vendors must provide two free preventive maintenance visits per year (for at least five years).	
7.3		Maintenance must include: i) Cleaning & lubrication ii) Tension adjustments for forceps & scissors iii) Functionality check of joints & cutting edges iv) Sharpening of the instruments as applicable	
8	Traceability	Provision for Barcode/QR code Tracking & CSSD Compatibility	
9	Asset tagging	Barcode / QR Code Etching: i) All instruments should come with laser-engraved barcodes / QR codes for tracking within CSSD (Central Sterile Services Department). ii) The barcode/QR code must be heat and chemical- resistant to withstand repeated sterilization cycles. (The details to be etched on barcode/QR code will be communicated to each vendor before procurement)	
10	Traceability	Integration with Hospital CSSD System:	

11	Asset Management		
11.1		Vendor to ensure compatibility with existing hospital asset management software.	
11.2		A sample barcode/QR code database should be provided before full implementation.	
12	Annual Inspection Report:	Vendors must submit an annual report on the condition of instruments, including wear & tear analysis.	
13	Spare Parts Availability:	Vendors should commit to a minimum of 5 years of spare parts availability for specialized instruments where applicable.	
14	Buy-Back Option:	Provision for exchange of old instruments against new ones at discounted rates where applicable	
15	User training	Training for CSSD & OR Staff: Vendor should provide free training for sterilization, handling, and maintenance best practices.	

*(To be submitted In the company letter head by supplier)

Declaration of Local Content by Local supplier

Subject: Public Procurement (Preference to Make In India)

References:

Preference to Make in India including counter offering will be as per the Public Procurement (Preference to Make in India), Order 2017 available in the following links <u>https://dipp.gov.in/public-procurements</u>

http://dipp.nic.in/sites/default/files/publicProcurement_MakeinIndia_15June2017.pdf http://dipp.nic.in/sites/default/files/Revised-PPP-MII-Order-2017_28052018.pdf https://dipp.gov.in/sites/default/files/PPP-MII%20Order%20dt%2029th%20May%2019_0.pdf https://dipp.gov.in/sites/default/files/PPP%20MII%20Order%20dated%204th%20June%202020.pdf

We hereby declare with reference to above subject and references that

M/s -----(Tick whichever is applicable as below)

"Class-I local supplier" meeting the requirement of minimum local content equal to 50% (fifty percent) or more defined in the above government notification for the goods and services

(or)

"Class-II local Supplier" meeting the requirement of local content 20% to less than 50% (fifty percent) defined in the above government notification for the goods and services

(or)

Non Local supplier (If not belonging to Class-I & Class-II)

Please mention the details against the following:

Enquiry no:----- dated. -----

Type of Supplier (Class-I/Class-II)

Product:-----

Project:....

Details of location at which local value addition will be made is as follows:

We also understand that the false declarations will be in breach of the code of Integrity under rule 175(1)(i)(h) of the General financial rules for which a bidder or its successors can be debarred for up to two years as per Rule 151(iii) of the General Financial Rules along with such other actions as may be permissible under law.

Authorized Signature M/s-----(Signature and seal) Place:..... Date:.....